American Journal of Obstetrics and Gynecology

Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., *Emeritus Editor*

Advisory committee on policy

John M. Bissonnette
William Droegemueller
T. Terry Hayashi
John C. Hobbins
Walter S. Keifer
Joseph B. McCoy, Jr.
Edgar L. Makowski
George D. Malkasian
James A. Merrill
Patrick T. Mohide

Board of corresponding editors

Oscar Aguero, *Caracas*
Frederick Kubli, *Heidelberg*
Pierre O. Hubinont, *Brussels*
Malcolm Symonds, *Nottingham*
Ichiro Taki, *Fukuoka*

Volume 147
September-December, 1983
The C. V. Mosby Company
St. Louis
1983

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNCOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS
AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY
THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

Volume 147
Copyright © 1983 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 147

Author index*

A

ABAD, L. (*see* EGUILUZ ET AL.), 949
ABBOUD, THERESE K. (*see* SHNIDER ET AL.), 13
ABINADER, EDWARD G. (*see* SHARF ET AL.), 300
ABRAMS, LARRY S., and WEINTRAUB, HOWARD S. Disposition of radioactivity following intravaginal administration of ^{3}H–miconazole nitrate, 970 (Comm. in brief)
ABRAMSON, JON S. (*see* BLAND ET AL.), 781
ADAMSON, S. LEE, BOCKING, ALAN, COUSIN, ALAN J., RAPOPORT, ISAAC, and PATRICK, JOHN E. Ultrasonic measurement of rate and depth of human fetal breathing: Effect of glucose, 288
ADCOCK, LEON L. (*see* POTISH ET AL.), 65
ADDISON, ALLEN (*see* BANDY, ADDISON, and PARKER), 359
ALAWODE, NELSON A. (*see* NAGEY ET AL.), 693
ALLONEN, HANNU (*see* LUUKKAINEN ET AL.), 885
AMATO, JACK C. Fetal heart rate monitoring, 967 (Comm. in brief)
ÄMMÄLÄ, P. (*see* KARINIEMI ET AL.), 793
ANDERSEN, ROGER (*see* LEVIN, GORCHELS, and ANDERSEN), 273
ANDERSON, BEVERLY (*see* ARTAL ET AL.), 537
ANDERSON, GARLAND D. (*see* SIBAI ET AL.), 16
ANTSAKLIS, ARIS (*see* GIAMARELLOU ET AL.), 914
ARAVANTINOS, D. (*see* GIAMARELLOU ET AL.), 914
ARIAS, FERNANDO (*see* MARTINEZ ET AL.), 542
ARTAL, RAUL, GOLDE, STEVEN H., DOREY, FRED, MCCLELLAN, STEPHANIE N., GRATACOS, JOSE, LIRETTE, TERRESE, MONTORO, MARTIN, WU, PAUL Y. K., ANDERSON, BEVERLY, and MESTMAN, JORGE. The effect of plasma glucose variability on neonatal outcome in the pregnant diabetic patient, 537
—(*see* PLATT ET AL.), 487
—(*see* SHNIDER ET AL.), 13
ASPILLAGA, MARGARET O., WHITTAKER, PAUL G., GREY, CHRISTINA E., and LIND, TOM. Endocrinologic events in early pregnancy failure, 903
ASSALI, N. S. (*see* USHIODA ET AL.), 423
AUSTIN, J. MAXWELL, JR. (*see* MARTIN, ORR, and AUSTIN), 343
AYROMLOOI, JAHANGIR (*see* DAWOOD ET AL.), 584

B

BAIRD, PHILLIP J. (*see* SIMPSON ET AL.), 842
BALLON, SAMUEL C. (*see* WU, BALLON, and TENG), 821
BAJPAI, V. K. (*see* JANSEN and BAJPAI), 598
BANDY, LAWRENCE C., ADDISON, ALLEN, and PARKER, ROY T. Surgical management of rectovaginal fistula in Crohn's disease, 359
BARBIERI, ROBERT L., and RYAN, KENNETH J. Hyperandrogenism, insulin resistance, and acanthosis nigricans syndrome: A common endocrinopathy with distinct pathophysiologic features, 90 (Current developments)
BARD, HARRY (*see* DE MUYLDER ET AL.), 285
—(*see* SARDA ET AL.), 443
BARDEN, TOM P. (*see* LAVIN ET AL.), 742
BARKE, MORTON W. (*see* KAFRISSEN ET AL.), 344
BARLOW, JOSEPH J. (*see* PIVER ET AL.), 803
BARR, MASON, JR. (*see* BARRETT, RAYBURN, and BARR), 846
BARRETT, ROLLAND J., RAYBURN, WILLIAM F., and BARR, MASON, JR. Furosemide (Lasix) challenge test in assessing bilateral fetal hydronephrosis, 846 (Comm. in brief)
BARTER, JAMES F. (*see* EDEN ET AL.), 106
BASDEVANT, ARNAUD, DE LIGNIERES, BRUNO, and GUY-GRAND, BERNARD. Differential lipemic and hormonal responses to oral and parenteral 17β-estradiol in postmenopausal women, 77
BATEMAN, BRUCE G., EDDY, CARLTON A., and KITCHIN, JAMES D., III. Effect of lengthening the fallopian tube on fertility in the rabbit, 569
BAWDON, ROGER (*see* HEMSELL ET AL.), 379
BECK JEANNE C. (*see* KHOUZAMI ET AL.), 552
BECK, LEE R., FLOWERS, CHARLES E., JR., POPE, VALERIE Z., WILBORN, WALTER H., and TICE, THOMAS R. Clinical evaluation of an improved injectable microcapsule contraceptive system, 815
BELCHER, R. (*see* LAWSON ET AL.), 721
BELLINA, JOSEPH H. The use of the carbon dioxide laser in the management of condyloma acuminatum with eight-year follow-up, 375
BENOIT, THOMAS (*see* STRICKLAND ET AL.), 769
BENVENISTE, ROBERT (*see* CARSON ET AL.), 932
VAN DEN BERG, BEA J., and PARRY, MARIAN A. Adolescents' preference of source to obtain contraceptive information, 719 (Comm. in brief)
BERGER, TRISH (*see* BIENIARZ ET AL.), 327
BERGMAN, ARIEH, and MCCARTHY, THOMAS A. Urodynamic changes after successful operation for stress urinary incontinence, 325
—(*see* BHATIA, BERGMAN, and GUNNING), 876
BERKOWITZ, RICHARD L. (*see* CHERVENAK ET AL.), 703
BERNSTEIN, P. (*see* HAWRYLYSHYN ET AL.), 240
BERNSTEIN, STEVEN G., VOET, RICHARD L., LIFSHITZ, SAMUEL, and BUCHSBAUM, HERBERT J. Adenoid cystic carcinoma of Bartholin's gland, 385
BERRIER, ELIZABETH (*see* SPITZ ET AL.), 295
BHATIA, NARENDER N., BERGMAN, ARIEH, and GUNNING, JOHN E. Urodynamic effects of a vaginal pessary in women with stress urinary incontinence, 876
BIENIARZ, ANDRE, BERGER, TRISH, NISHIMURA, KAZUNORI, and DI-ZEREGA, GERE S. Ibuprofen modulation of human chorionic gonadotropin–induced ornithine decarboxylase activity and ovulation in the rabbit ovary, 327
BISTOLETTI, PETER, NYLUND, LARS, LAGERCRANTZ, HUGO, HJEMDAHL, PAUL, and STRÖM, HELGE. Fetal scalp catecholamines during labor, 785
BJERKEDAL, TOR, and ERICKSON, DAVID. Association of birth outcome with subsequent fertility, 399
BLACKMON, LILLIAN (*see* CRENSHAW ET AL.), 125
BLANCO, JORGE D., GIBBS, RONALD S., DUFF, PATRICK, and CASTANEDA, YOLANDA S. Serum tobramycin levels in puerperal women, 466 (Comm. in brief)
—, —, and KREBS, LINDA F. Inhibition of group B streptococci by amniotic fluid from patients with intra-amniotic infection and from control subjects, 247
BLAND, REGINA S., NELSON, LEWIS H., MEIS, PAUL J., WEAVER, RICHARD L., and ABRAMSON, JON S. Gonococcal ventriculitis associated with ventriculoamniotic shunt placement, 781
BLUMENSON, LESLIE (*see* PIVER ET AL.), 803
BOBROW, MARTIN (*see* NAFTOLIN ET AL.), 491
BOCKING, ALAN (*see* ADAMSON ET AL.), 288
BOUALLOUCHE, ABDERRAHMANE, BRERAULT, JEAN-LOUIS, FIET, JEAN, JULIEN, RENÉ, VERMEULEN, CHRISTIAN, and CATHELINEAU, GÉRARD. Evidence for adrenal and/or ovarian dysfunction as a possible etiology of idiopathic hirsutism, 57
BOWEN, CHERYL (*see* CRENSHAW ET AL.), 125
BOXER, HARRIET S. (*see* SISENWEIN ET AL.), 52
BOYD, BEVERLY W. (*see* GOLDENBERG ET AL.), 687
BRACE, ROBERT A. Fetal blood volume responses to intravenous saline solution and dextran, 777
BRADY, WILLIAM KIM (*see* HANNA ET AL.), 872
BRANDEIS, V., KEMMANN, E., and JONES, J. R. Hyperprolactinemic amenorrhea in a woman with a craniopharyngioma: Persisting amenorrhea after prolactin suppression with bromocriptine, 109 (Comm. in brief)
BRANS, YVES W. (*see* HANKINS ET AL.), 254
BRAVERMAN, LEWIS E. (*see* ROTI ET AL.), 788
BRECKLE, ROBERT (*see* HILL ET AL.), 407
BRERAULT, JEAN-LOUIS (*see* BOUALLOUCHE ET AL.), 57
BRINKMAN, C. R., III (*see* USHIODA ET AL.), 423
BRYANT-GREENWOOD, GILLIAM D. (*see* EVANS ET AL.), 410
BUCHSBAUM, HERBERT J. (*see* BERNSTEIN ET AL.), 385
BURGOYNE, R. (*see* EKELUND, BURGOYNE, and ENHORNING), 437
BURKETT, GENE (*see* CURET ET AL.), 446
BURMEISTER, LEON, F. (*see* ZLATNIK and BURMEISTER), 345
BURRELL, MATTHEW O. (*see* POWELL ET AL.), 196
BURTON, ANTHONY H. (*see* SPITZ ET AL.), 295

*September 1, 1-114; September 15, 115-230; October 1, 231-358; October 15, 359-476; November 1, 477-610; November 15, 611-736; December 1, 737-856; December 15, 857-1008.

C

CARITIS, STEVE N., LIN, LI SHEI, TOIG, GARY, and WONG, LAN K. Pharmacodynamics of ritodrine in pregnant women during preterm labor, 752

CARLSON, JOHN A., JR., JOSE, BABY, SHARMA, SUBHASH C., and OSBORNE, ROY P. Radioactivity in breast milk after intraperitoneal chromic phosphate for the treatment of early ovarian cancer, 840 (Comm. in brief)

CARR, BRUCE R. (*see* PARKER ET AL.), 415, 955

CARSON, SANDRA A., CHASE, ROBIN, ULEP, ELENA, SCOMMEGNA, ANTONIO, and BENVENISTE, ROBERT. Ontogenesis and characteristics of epidermal growth factor receptors in human placenta, 932

CASEY, M. LINETTE, CUTRER, SUSAN I., and MITCHELL, MURRAY D. Origin of prostanoids in human amniotic fluid: The fetal kidney as a source of amniotic fluid prostanoids, 547

—(*see* CUNNINGHAM ET AL.), 573

—(*see* PARKER ET AL.), 415

CASSELLS, SALLY (*see* CRAMER ET AL.), 1

CASTANEDA, YOLANDA S. (*see* BLANCO ET AL.), 466

CATHELINEAU, GÉRARD (*see* BOUALLOUCHE ET AL.), 57

CAUDLE, MICHAEL R. (*see* ROTE and CAUDLE), 267

CAVAZOS, DORA (*see* PATTERSON, HAYASHI, and CAVAZOS), 773

CHAMBERS, DONN A. (*see* POWELL ET AL.), 196

CHAPITIS, JANE (*see* WALTERS ET AL.), 639

CHARD, T., and GIBBEN, G. L. D. Spurt release of oxytocin during surgical induction of labor in women, 678

—(*see* GRUDZINSKAS ET AL.), 10

CHASE, ROBIN (*see* CARSON ET AL.), 932

CHECK, JEROME H., and KROTEC, JOSEPH W. Virilizing congenital adrenal hyperplasia with normal dehydroepiandrosterone sulfate, 972 (Comm. in brief)

CHERVENAK, FRANK A., BERKOWITZ, RICHARD L., ROMERO, ROBERTO, TORTORA, MARGE, MAYDEN, KARA, DUNCAN, CHARLES, MAHONEY, MAURICE J., and HOBBINS, JOHN C. The diagnosis of fetal hydrocephalus, 703 (Current developments)

CHEUNG, SAU WAI (*see* MARTINEZ ET AL.), 542

CHOE, JUNG K., KHAN-DAWOOD, FIRYAL S., and DAWOOD, M. YUSOFF. Progesterone and estradiol in the saliva and plasma during the menstrual cycle, 557

CLARKE-PEARSON, DANIEL L., SYNAN, INGRID S., and CREASMAN, WILLIAM T. Anticoagulation therapy for venous thromboembolism in patients with gynecologic malignancy, 369

CLEWELL, WILLIAM H., and MANCHESTER, DAVID K. Recurrent maternal floor infarction: A preventable cause of fetal death, 346 (Comm. in brief)

CLINE, SUSAN (*see* VALENZUELA, CLINE, and HAYASHI), 396

COLE, LYNDA P. (*see* FORTNEY, COLE, and KENNEDY), 830

THE COLLABORATIVE GROUP ON ANTENATAL STEROID THERAPY (*see* CURET ET AL.), 446

CORKER, CHARLES S. (*see* NAFTOLIN ET AL.), 491

COULAM, CAROLYN B., RAZEL, ANTHONY J., KELALIS, PANAYOTIS P., SVENSSON, JAN, and SPELSBERG, THOMAS C. Androgen receptor in human foreskin. II. Characteristics of the receptor from hypospadiac tissue, 513

COUSIN, ALAN J. (*see* ADAMSON ET AL.), 288

COUSINS, LARRY. Congenital anomalies among infants of diabetic mothers, 333 (Current developments)

COX, TERRY A. (*see* GOODLIN ET AL.), 841

CRAMER, DANIEL W., WELCH, WILLIAM R., CASSELLS, SALLY, and SCULLY, ROBERT E. Mumps, menarche, menopause, and ovarian cancer, 1 (Clinical opinion)

CRANE, JAMES P. (*see* MARTINEZ ET AL.), 542

CREASMAN, WILLIAM T. (*see* CLARKE-PEARSON, SYNAN, and CREASMAN), 369

CRENSHAW, CARLYLE, JR., PAYNE, PATRICIA, BLACKMON, LILLIAN, BOWEN, CHERLY, and GUTBERLET, RONALD. Prematurity and the obstetrician, 125

—(*see* NAGEY ET AL.), 693

CROWLEY, WILLIAM F. (*see* FILICORI ET AL.), 726

CRUIKSHANK, DWIGHT P. (*see* VARNER ET AL.), 762

CRUIKSHANK, STEPHEN H., and STOELK, EUGENE M. Surgical control of pelvic hemorrhage: Method of bilateral ovarian artery ligation, 724 (Comm. in brief)

CRUM, CHRISTOPHER P., EGAWA, KENJI, FENOGLIO, CECILIA M., and RICHART, RALPH M. Chronic endometritis: The role of immunohistochemistry in the detection of plasma cells, 812

CUNNINGHAM, F. GARY, RAWLINS, SUSAN, CASEY, M. LINETTE, and MACDONALD, PAUL C. Catechol-O-methyltransferase activity in erythrocytes of pregnant women with sickle cell disease before, during, and after transfusion and partial exchange transfusion, 573

—(*see* HANKINS ET AL.), 254

CURET, LUIS B., RAO, A. VIJAYA, ZACHMAN, RICHARD D., MORRISON, JOHN, BURKETT, GENE, POOLE, W. KENNETH, and THE COLLABORATIVE GROUP ON ANTENATAL STEROID THERAPY. Maternal smoking and respiratory distress syndrome, 446

CUTRER, SUSAN I. (*see* CASEY, CUTRER, and MITCHELL), 547

D

DAFFOS, F. (*see* HUBERT ET AL.), 676

DAIKOS, GEORGE K. (*see* GIAMARELLOU ET AL.), 914

DALY, DOUGLAS C. (*see* WALTERS ET AL.), 639

DANIELL, JAMES (*see* PITTAWAY ET AL.), 623

DAVAJAN, VAL (*see* KLETZKY, MARRS, and DAVAJAN), 528

DAVIES, BELINDA R., and LOMELI, ROSA MARIA. Pressure malformations from a chronic leakage of amniotic fluid: Possible iatrogenic origin of extramembranous pregnancy and the extrachorial placenta, 838 (Comm. in brief)

DAVIS, HARRY C. (*see* KARP, ROBERTSON, and DAVIS), 341

DAWES, G. S. (*see* LAWSON ET AL.), 721

DAWOOD, M. YUSOFF, KHAN-DAWOOD, FIRYAL S., AYROMLOOI, JAHANGIR, and TOBIAS, MITCHELL. Maternal and fetal plasma oxytocin levels during pregnancy and parturition in the sheep, 584

—(*see* CHOE, KHAN-DAWOOD, and DAWOOD), 557

DECHERNEY, A. H. (*see* LAUFER ET AL.), 633

DEFOORT, PAUL, and THIERY, MICHEL. Amniocentesis with the use of continuous real-time echography: Experience with two hundred consecutive cases, 973 (Comm. in brief)

DEGROOT, LESLIE J. (*see* SRIDAMA ET AL.), 566

DELAPLANE, DIETRA, WIRINGA, KAREN S., SHULMAN, STANFORD T., and YOGEV, RAM. Congenital mucocutaneous candidiasis following diagnostic amniocentesis, 342 (Comm. in brief)

DE LIGNIERES, BRUNO (*see* BASDEVANT, DELIGNIERES, and GUYGRAND), 77

DE MUYLDER, XAVIER, FOURON, JEAN-CLAUDE, BARD, HARRY, and URFER, FRANÇOIS N. Changes in the systolic time intervals of the fetal heart after surgical manipulation of the fetus, 285

DENNIS, EDWARD J. (*see* YOUNG ET AL.), 181

DENSBERGER, MARY (*see* MILLER, DENSBERGER, and KROGMAN), 19

DESCOMBEY, D. (*see* HUBERT ET AL.), 676

DIBBLEE, L., and GRAHAM, T. E. A longitudinal study of changes in aerobic fitness, body composition, and energy intake in primigravid patients, 908

DIGIUSEPPE, RAYMOND (*see* SISENWEIN ET AL.), 52

DIZEREGA, GERE S. (*see* SHOUPE ET AL), 482

—(*see* BIENIARZ ET AL.), 327

DONN, STEVEN M. (*see* RAYBURN, DONN, and WULF), 717

DOREY, FRED (*see* ARTAL ET AL.), 537

DOUGAN, MALIA-BETH (*see* EVANS ET AL.), 410

DRAKE, TERRANCE, S., O'BRIEN, WILLIAM F., and RAMWELL, PETER W. Peritoneal fluid prostanoids in unexplained infertility, 63

DUFF, PATRICK, SANDERS, ROCHELLE, and GIBBS, RONALD S. The course of labor in term patients with chorioamnionitis, 391

—(*see* BLANCO ET AL.), 466

DUNCAN, CHARLES (*see* CHERVENAK ET AL.), 703

DUNN, LEO J. (*see* FANTL, HURT, and DUNN), 137

DUNNER, PETER S., THOMAS, MARTIN A., FERRERAS, MARGARET, and JEROME, MARC. Intrauterine incarcerated bowel following uterine perforation during an abortion: A case report, 969 (Comm. in brief)

E

EDDY, CARLTON A. (*see* BATEMAN, EDDY, and KITCHIN), 569

EDEN, ROBERT D., JELOVSEK, FREDERICK R., KODACK, LAWRENCE D., KILLAM, ALLEN P., and GALL, STANLEY A. Accuracy of ultrasonic fetal weight prediction in preterm infants, 43

—, WAHBEH, CAMILLE J., BARTER, JAMES F., WILLIAMS, ANN Y., KILLAM, ALLEN P., and GALL, STANLEY A. Serial nephelometric urinary protein profile as an index of renal involvement in severe pregnancy-induced hypertension: A case report, 106 (Comm. in brief)

—, —, WILLIAMS, ANN Y., and GALL, STANLEY A. Nephelometric urinary protein profile as an index of renal involvement in hypertensive disorders of pregnancy, 645

EGAWA, KENJI (*see* CRUM ET AL.), 812

EGUILUZ, A., LÓPEZ BERNAL, A., MCPHERSON, K., PARRILLA, J. J., and ABAD, L. The use of intrapartum fetal blood lactate measurements for the early diagnosis of fetus distress, 949

EIBSCHITZ, IZU (*see* SHARF ET AL.), 300

EIDELMAN, ARTHUR I. (*see* FARKAS, EIDELMAN, and GALE), 461

EKELUND, L., BURGOYNE, R., and ENHORNING, G. Pulmonary surfactant release in fetal rabbits: Immediate and delayed response to terbutaline, 437

EKMAN, GUNVOR, FORMAN, AXEL, MARSÁL, KAREN, and ULMSTEN, ULF. Intravaginal versus intracervical application of prostaglandin E_2 in viscous gel for cervical priming and induction of labor at term in patients with an unfavorable cervical state, 657
—(*see* ULDBJERG ET AL.), 662
ELLEFSON, RALPH (*see* HILL and ELLEFSON), 339
ELLIOTT, JOHN P. Magnesium sulfate as a tocolytic agent, 277
EMERSON, CHARLES H. (*see* ROTI ET AL.), 788
ENHORNING, G. (*see* EKELUND, BURGOYNE, and ENHORNING), 437
ERICKSON, J. DAVID. (*see* BJERKEDAL and ERICKSON), 399
VAN ERTBRUGGEN, INGRID (*see* KORENROMP ET AL.), 465
ERVIN, M. G. (*see* ROSS ET AL.), 697
EVANS, MARK I., DOUGAN, MALIA-BETH, MOAWAD, ATEF H., EVANS, WENDY J., BRYANT-GREENWOOD, GILLIAN D., and GREENWOOD, FREDERICK C. Ripening of the human cervix with porcine ovarian relaxin, 410
EVANS, WENDY J. (*see* EVANS ET AL.), 410

F

FANG, SHIH-LIEH (*see* ROTI ET AL.), 788
FANTL, J. ANDREW, HURT, W. GLENN, and DUNN, LEO J. Urinary incontinence due to unconscious abdominal contractions, 137
FARKAS, AMICUR, EIDELMAN, ARTHUR I., and GALE, RINA. Transient perinatal urinary retention: A cautionary note for the fetal surgeon, 461 (Comm. in brief)
FENOGLIO, CECILIA M. (*see* CRUM ET AL.), 812
FERGUSON, JAMES E., II, UELAND, KENT, STINSON, EDWARD B., and MALY, ROBERT P. Marfan's syndrome: Acute aortic dissection during labor, resulting in fetal distress and cesarean section, followed by successful surgical repair, 759
FERRERAS, MARGARET (*see* DUNNER ET AL.), 969
FESCINA, RICARDO HORACIO, and MARTEL, MIGUEL. Intrauterine and extrauterine growth of cranial perimeter in term and preterm infants, 928
FIET, JEAN (*see* BOUALLOUCHE ET AL.), 57
FILICORI, MARCO, HALL, DEBORAH A., LOUGHLIN, JACQUELYN S., RIVIER, JEAN, VALE, WYLIE, and CROWLEY, WILLIAM F. A conservative approach to the management of uterine leiomyoma: Pituitary desensitization by luteinizing hormone–releasing hormone analogue, 726 (Comm. in brief)
FISHER, D. A. (*see* ROSS ET AL.), 697
FLOWERS, CHARLES E., JR. (*see* BECK ET AL.), 815
FOJACO, RITA M. (*see* WETLI, ROLDAN, and FOJACO), 7
FORMAN, AXEL (*see* EKMAN ET AL.), 657
FORSGREN, M. (*see* LARSSON ET AL.), 654
FORSS, M. (*see* POHJAVUORI, FORSS, and KARINIEMI), 943
—(*see* KARINIEMI ET AL.), 793
FORSYTHE, GEORGE B. (*see* HERBERT, MCGAGHIE, and FORSYTHE), 73
FORTIER, KENNETH J. (*see* NAGEY, FORTIER, and LINDER), 103
—(*see* NAGEY ET AL.), 463
FORTNEY, JUDITH A., COLE, LYNDA P., and KENNEDY, KATHY I. A new approach to measuring menstrual pattern change after sterilization, 830
FOURON, JEAN-CLAUDE (*see* DE MUYLDER ET AL.), 285
FOX, HOWARD A. The incompetent cervix: Words that can hurt, 462 (Comm. in brief)
FRANKLIN, ERNEST W., III (*see* POWELL ET AL.), 196
FREDERIKSEN, MARILYNN C. (*see* PHELPS ET AL.), 651
FREEMAN, ROGER K. (*see* GARITE ET AL.), 681
FREINKEL, NORBERT (*see* PHELPS ET AL.), 651
FUCHS, ANNA-RIITTA, GOESCHEN, KLAUS, HUSSLEIN, PETER, RASMUSSEN, ANNE B., and FUCHS, FRITZ. Oxytocin and the initiation of human parturition. III. Plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in spontaneous and oxytocin-induced labor at term, 497
—(*see* HUSSLEIN ET AL.), 503
FUCHS, FRITZ. An alphabet of progress, 311
—(*see* FUCHS ET AL.), 497
—(*see* HUSSLEIN ET AL.), 503

G

GALE, RINA (*see* FARKAS, EIDELMAN, and GALE), 461
GALL, STANLEY A. (*see* EDEN ET AL.), 43, 106, 645
GANT, NORMAN F., JR. (*see* MATSUURA ET AL.), 231
—(*see* PARKER ET AL.), 415
GARITE, THOMAS J., YABUSAKI, KENICHI K., MOBERG, LESLIE J., SYMONS, JUDY L., WHITE, TERRY, ITANO, MASASHI, and FREEMAN, ROGER K. A new rapid slide agglutination test for amniotic fluid phosphatidylglycerol: Laboratory and clinical correlation, 681
GAUTHERIE, MICHEL. Thermobiological assessment of benign and malignant breast diseases, 861
GAZIS, JOHN (*see* GIAMARELLOU ET AL.), 914
GEMMELL, R. S. (*see* MACDONALD ET AL.), 430
GIAMARELLOU, HELEN, GAZIS, JOHN, PETRIKKOS, GEORGE, ANTSAKLIS, ARIS, ARAVANTINOS, D., and DAIKOS, GEORGE K. A study of cefoxitin, moxalactam, and ceftazidime kinetics in pregnancy, 914
GIBBEN, G. L. D. (*see* CHARD and GIBBEN), 678
GIBBONS, WILLIAM E. (*see* MARRS ET AL.), 318
GIBBS, RONALD S. (*see* BLANCO, GIBBS, and KREBS), 247
—(*see* DUFF, SANDERS, and GIBBS), 391
—(*see* BLANCO ET AL.), 466
GIVEN, FRED T., JR. Dr. John Pott: Maligned early patriot, 115
GODTS, PIETER (*see* PIOT ET AL.), 85
GOESCHEN, KLAUS (*see* FUCHS ET AL.), 497
GOLBUS, M. S. (*see* HOLZGREVE and GOLBUS), 837
GOLDE, STEVEN H. (*see* ARTAL ET AL.), 537
GOLDENBERG, ROBERT L., HALE, CHRISTIAN B., HOUDE, JOHN, HUMPHREY, JOAN L., WAYNE, JOHN B., and BOYD, BEVERLY W. Neonatal deaths in Alabama. III. Out-of-hospital births, 1940-1980, 687
GOLDRATH, MILTON H. Uterine tamponade for the control of acute uterine bleeding, 869
GONZALEZ, MARIO S., and HAMMOND, DANIEL O. Malignant melanoma in the ovary with ultrastructural confirmation, 722 (Comm. in brief)
GOODLIN, ROBERT C., STRIEB, ERICH, SUN, SALLIE F., COX, TERRY A., and WILLIAMS, NATHAN E. Cortical blindness as the initial symptom in severe preeclampsia, 841 (Comm. in brief)
GORCHELS, CATHERINE (*see* LEVIN, GORCHELS, and ANDERSEN), 273
GORDON, Y. B. (*see* GRUDZINSKAS ET AL.), 10
GOSSAIN, VED V., SHERMA, NARINDER K., MICHELAKIS, ANDREW M., and ROVNER, DAVID R. Effect of oral contraceptives on plasma glucose, insulin, and glucagon levels, 618
GRAHAM, T. E. (*see* DIBBLEE and GRAHAM), 908
GRATACOS, JOSE (*see* ARTAL ET AL.), 537
GREEN, DAVID (*see* PHELPS ET AL.), 651
GREEN, KAREN (*see* ROTI ET AL.), 788
GREENWOOD, FREDERICK C. (*see* EVANS ET AL.), 410
GREISS, FRANK C., JR. (*see* JONES ET AL.), 121
GREY, CHRISTINA E. (*see* ASPILLAGA ET AL.), 903
GRIGNON, ANDRÉE (*see* SARDA ET AL.), 443
GRIMES, DAVID A. (*see* KAFRISSEN ET AL.), 344
GROSS, STEVEN J. (*see* NIEBURG and GROSS), 839
GROSSMAN, L. (*see* SIKKA ET AL.), 102
GRUDZINSKAS, J. G., GORDON, Y. B., MENABAWEY, M., LEE, J. N., WADSWORTH, J., and CHARD, T. Identification of high-risk pregnancy by the routine measurement of pregnancy-specific β_1-glycoprotein, 10
GRUNDY, H., and WILTJER, S. L. One-dimensional versus two-dimensional phosphatidylglycerol, 718 (Comm. in brief)
GRUNEBAUM, AMOS N., MINKOFF, HOWARD, SCHWARZ, RICHARD H., and SCHIFFMAN, GERALD. The relationship of maternal antibody levels to post–cesarean section endometritis, 919
GUNNING, JOHN E. (*see* BHATIA, BERGMAN, and GUNNING), 876
GUTBERLET, RONALD (*see* CRENSHAW ET AL.), 125
GUY-GRAND, BERNARD (*see* BASDEVANT, DE LIGNIERES, and GUY-GRAND), 77

H

HAGENFELDT, L. (*see* LARSSON ET AL.), 654
HÄHNEL, R. (*see* MARTIN ET AL.), 322
HALE, CHRISTIAN (*see* GOLDENBERG ET AL.), 687
HALL, DEBORAH A. (*see* FILICORI ET AL.), 726
HAMMOND, CHARLES B., HANEY, ARTHUR F., LAND, MICHAEL R., VAN DER MERWE, JAN V., ORY, STEVEN J., and WIEBE, R. HERBERT. The outcome of pregnancy in patients with treated and untreated prolactin-secreting pituitary tumors, 148
HAMMOND, DANIEL O. (*see* GONZALEZ and HAMMOND), 722
HANEY, ARTHUR F. (*see* HAMMOND ET AL.), 148
HANKINS, GARY D., HAUTH, JOHN C., KUEHL, THOMAS J., BRANS, YVES W., CUNNINGHAM, F. GARY, and PIERSON, WAYNE. Ritodrine hydrochloride infusion in pregnant baboons. II. Sodium and water compartment alterations, 254
HANNA, JOHN H., BRADY, WILLIAM KIM, HILL, JAY M., and PHILLIPS, GEORGE L., JR. Detection of postmenopausal women at risk for endometrial carcinoma by a progesterone challenge test, 872
HART, MICHAEL D. (*see* TABAK, HART, and OSBORN), 845
HAUTH, JOHN C. (*see* HANKINS ET AL.), 254
HAWRYLYSHYN, P., BERNSTEIN, P., MILLIGAN, J. E., SOLDIN, S., POLLARD, A., and PAPSIN, F. R. Premature rupture of membranes: The role of C-reactive protein in the prediction of chorioamnionitis, 240

HAXTON, MICHAEL J. Progressive partial lipodystrophy in association with intrauterine death and growth retardation, 837 (Comm. in brief)
HAYASHI, ROBERT H. (*see* PATTERSON, HAYASHI, and CAVAZOS), 773
—(*see* VALENZUELA, CLINE, and HAYASHI), 396
HAYES, BEN A. (*see* NAGEY ET AL.), 463
HEADINGTON, JOHN T. (*see* SIEGLE, HEADINGTON, and SWANSON), 459
HEARD, MOLLY (*see* HEMSELL ET AL.), 379
HEMSELL, DAVID, HEMSELL, PATRICIA, NOBLES, BRENDA, HEARD, MOLLY, and BAWDON, ROGER. Moxalactam versus cefazolin prophylaxis for vaginal hysterectomy, 379
—, REISCH, JOAN, NOBLES, BRENDA, and HEMSELL, PATRICIA G. Prevention of major infection after elective abdominal hysterectomy: Individual determination required, 520
HEMSELL, PATRICIA (*see* HEMSELL ET AL.), 379, 520
HENRIKSEN, EVA H. (*see* SHNIDER ET AL.), 13
HERBERT, CARL (*see* PITTAWAY ET AL.), 623
HERBERT, WILLIAM N. P., MCGAGHIE, WILLIAM C., and FORSYTHE, GEORGE B. Use of National Board test questions to evaluate student performance in obstetrics and gynecology, 73
—(*see* PARKER ET AL.), 955
HERTELENDY, FRANK (*see* SGARLATA, HERTELENDY, and MIKHAIL), 563
HIGAKI, K., SEKIYA, S., KAWATA, M., and TAKAMIZAWA, H. A new serologic diagnostic method for malignant ovarian germ cell tumors: Detection of antibodies to large glycopeptides, 974 (Comm. in brief)
HILL, JAY M. (*see* HANNA ET AL.), 872
HILL, LYNDON M., and ELLEFSON, RALPH. Variable interference of meconium in the determination of phosphatidylglycerol, 339 (Comm. in brief)
—, BRECKLE, ROBERT, WOLFGRAM, KIM R., and O'BRIEN, PETER C. Oligohydramnios: Ultrasonically detected incidence and subsequent fetal outcome, 407
HIXSON, ELIZABETH T. (*see* YOUNG ET AL.), 181
HJEMDAHL, PAUL (*see* BISTOLETTI ET AL.), 785
HOBBINS, JOHN C. (*see* CHERVENAK ET AL.), 703
—(*see* ROMERO ET AL.), 108
HOBEL, C. (*see* ROSS ET AL.), 697
HOLTZ, GARY. Human chorionic gonadotropin regression following conservative surgical management of tubal pregnancy, 347 (Comm. in brief)
HOLZGREVE, W., and GOLBUS, M. S. Amniotic fluid acetylcholinesterase as a prenatal diagnostic marker for upper gastrointestinal atresias, 837 (Comm. in brief)
HOMESLEY, HOWARD D. (*see* WELANDER, HOMESLEY, and JOBSON), 188
HONIG, GEORGE R. (*see* PHELPS ET AL.), 651
HORGER, EDGAR O., III, and PAI, G. SHASHIDHAR. Ultrasound in the diagnosis of fetal malformations, 163
HOUDE, JOHN (*see* GOLDENBERG ET AL.), 687
HUANG, KO-EN (*see* MUECHLER and HUANG), 105
HUBERT, C., DESCOMBEY, D., MONDON, F., and DAFFOS, F. Plasma human chorionic somatomammotropin deficiency in a normal pregnancy is the consequence of low concentration of messenger RNA coding for human chorionic somatomammotropin, 676
HUISJES, H. J., and TOUWEN, B. C. L. Neonatal outcome after treatment with ritodrine: A controlled study, 250
HUMPHREY, JOAN L. (*see* GOLDENBERG ET AL.), 687
HURT, W. GLENN (*see* FANTL, HURT, and DUNN), 137
HUSSLEIN, PETER, KOFLER, EKKEHARD, RASMUSSEN, ANNE B., SUMULONG, LINDA, FUCHS, ANNA-RIITTA, and FUCHS, FRITZ. Oxytocin and the initiation of human parturition. IV. Plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ during induction of labor by artificial rupture of the membranes, 503
—(*see* FUCHS ET AL.), 497

I

IDDENDEN, D. A., and NUTTALL, I. D. Early spontaneous rupture of the gravid uterus, 971 (Comm. in brief)
ITANO, MASASHI (*see* GARITE ET AL.), 681
ITSKOVITZ, JOSEPH, LAGAMMA, EDMUND F., and RUDOLPH, ABRAHAM M. Heart rate and blood pressure responses to umbilical cord compression in fetal lambs with special reference to the mechanism of variable deceleration, 451

J

JACKSON, BENJAMIN T. (*see* TENENBAUM ET AL.), 48
JANSEN, C. A. M., and NATHANIELSZ, P. W. Transcutaneous fetal scalp Po_2 measurements in the fetal sheep: The influence of external pressure on the electrode or on the skin, 508
JANSEN, ROBERT P. S., and BAJPAI, V. K. Periovulatory glycoprotein secretion in the macaque fallopian tube, 598
JARVIS, W. D. (*see* KRUG ET AL.), 38
JELOVSEK, FREDERICK R. (*see* EDEN ET AL.), 43
JEROME, MARC (*see* DUNNER ET AL.), 969
JOBSON, VERNON W. (*see* WELANDER, HOMESLEY, and JOBSON), 188
JOHNSON, J. W. C. (*see* KHOUZAMI ET AL.), 552
JOHNSTON, JOHN M. (*see* OKITA, JOHNSTON, and MACDONALD), 477
JONES, CHARLES M., III, MEIS, PAUL, J., ROSE, JAMES C., and GREISS, FRANK C., JR. Subhourly variability of circulating norepinephrine and epinephrine in the pregnant ewe and fetal and newborn lamb, 121
JONES, J. R. (*see* BRANDEIS, KEMMANN, and JONES), 109
JOSE, BABY (*see* CARLSON ET AL.), 840
JOUPPILA, P. (*see* JOUPPILA ET AL.), 799
—(*see* KIRKINEN ET AL.), 939
JOUPPILA, R., JOUPPILA, P., KARLQVIST, K., KAUKORANTA, P., LEPPÄLUOTO, J., and VUOLTEENAHO, O. Maternal and umbilical venous plasma immunoreactive β-endorphin levels during labor with and without epidural analgesia, 799
JULIEN, RÉNE (*see* BOUALLOUCHE ET AL.), 57

K

KAFRISSEN, MICHAEL E., BARKE, MORTON W., WORKMAN, PAUL, SCHULZ, KENNETH F., and GRIMES, DAVID A. Coagulopathy and induced abortion methods: Rates and relative risks, 344 (Comm. in brief)
KAMMULA, RAO K. (*see* PLATT ET AL.), 487
KARINIEMI, VEIKKO. Effects of amniotomy on fetal heart rate variability during labor, 975 (Comm. in brief)
—, FORSS, M., SIEGBERG, R., and ÄMMÄLÄ, P. Reduced short-term variability of fetal heart rate in association with maternal hyperglycemia during pregnancy in insulin-dependent diabetic women, 793
—(*see* POHJAVUORI, FORSS, and KARINIEMI), 943
KÄRKKÄINEN, JORMA (*see* LANTTA, KÄRKKÄINEN, and LEHTOVIRTA), 627
KARLQVIST, K. (*see* JOUPPILA ET AL.), 799
KARP, WARREN B., ROBERTSON, ALEX F., and DAVIS, HARRY C. Decreased bilirubin binding by albumin in late pregnancy, 341 (Comm. in brief)
KATO, KOICHI (*see* NAGATA ET AL.), 259
KAUKORANTA, P. (*see* JOUPPILA ET AL.), 799
KAVLOCK, ROBERT J. (*see* ROBINSON, KAVLOCK, and WATKINSON), 795
KAWATA, M. (*see* HIGAKI ET AL.), 974
KEDZIA, HELENA. Gonadoblastoma: Structures and background of development, 81
KELALIS, PANAYOTIS P. (*see* COULAM ET AL.), 513
KEMMANN, E. (*see* BRANDEIS, KEMMANN, and JONES), 109
—(*see* SIKKA ET AL.), 102
KENNEDY, KATHY I. (*see* FORTNEY, COLE, and KENNEDY), 830
KHAN-DAWOOD, FIRYAL S. (*see* CHOE, KHAN-DAWOOD, and DAWOOD), 557
—(*see* DAWOOD ET AL.), 584
KHOUZAMI, VICTOR A., BECK, JEANNE C., SULLIVANT, HENRY, and JOHNSON J. W. C. Amniotic fluid absorbance at 650 nm: Its relationship to the lecithin/sphingomyelin ratio and neonatal pulmonary sufficiency, 552
KIKUCHI, YOSHIHIRO (*see* NAGATA ET AL.), 259
KILLAM, ALLEN P. (*see* EDEN ET AL.), 43, 106
KIRKINEN, P., JOUPPILA, P., KOIVULA, A., VUORI, J., and PUUKKA, M. The effect of caffeine on placental and fetal blood flow in human pregnancy, 939
KITCHIN, JAMES D., III (*see* BATEMAN, EDDY, and KITCHIN), 569
KITZMILLER, J. L. (*see* ROSS ET AL.), 897
KLEINMAN, G. (*see* USHIODA ET AL.), 423
KLETZKY, OSCAR A., MARRS, RICHARD P., and DAVAJAN, VAL. Management of patients with hyperprolactinemia and normal or abnormal tomograms, 528
—(*see* SHOUPE ET AL.), 482
KNOWLES, HARVEY C. (*see* LAVIN ET AL.), 742
KODACK, LAWRENCE D. (*see* EDEN ET AL.), 43
KOENIG, ULF D., and MÜLLER, NORBERT. Occurrence and characterization of different types of cytotoxic antibodies in pregnant women in relation to parity and gestational age, 671
KOFLER, EKKEHARD (*see* HUSSLEIN ET AL.), 503
KOHLINSKY, SHEILA (*see* NAFTOLIN ET AL.), 491
KOIVULA, A. (*see* KIRKINEN ET AL.), 939
KORENROMP, MARIJKE J., STASSEN, MARITA J. P., VAN ERTBRUGGEN, INGRID, and KRIEK, RITA. The natural course of early intrauterine urethral obstruction, 465 (Comm. in brief)
KREBS, LINDA F. (*see* BLANCO, GIBBS, and KREBS), 247
KRIEK, RITA (*see* KORENROMP ET AL.), 465
KROGMAN, JOAN (*see* MILLER, DENSBERGER, and KROGMAN), 19
KROTEC, JOSEPH W. (*see* CHECK and KROTEC), 972

KRUG, E. C., ROGOL, A. D., JARVIS, W. D., THIAGARAJAH, S., and SINGHAS, C. A. Prolactin secretion by human chorion-decidua in vitro: Influences of mode of delivery and agents that modify prostaglandin synthesis, 38
KUEHL, THOMAS J. (*see* HANKINS ET AL.), 254
KUMAR, DINESH D. (*see* SHOUPE, KUMAR, and LOBO), 588
KUSLIS, SALLY T. (*see* WALTERS ET AL.), 639
KUSMIK, WILLIAM F. (*see* WALTERS ET AL.), 639
KUWABARA, YOSHINORI, MURATA, TERUO, MIZUNO, MASAHIKO, and SAKAMOTO, SHOICHI. Plasma 11-deoxycortisol in normal and abnormal human pregnancy, 766

L

LAGAMMA, EDMUND F. (*see* ITSKOVITZ, LAGAMMA, and RUDOLPH), 451
LAGERCRANTZ, HUGO (*see* BISTOLETTI ET AL.), 785
LAND, MICHAEL R. (*see* HAMMOND ET AL.), 148
LANTTA, MARJA, KÄRKKÄINEN, JORMA, and LEHTOVIRTA, PENTTI. Progesterone and estradiol receptors in the cytosol of the human uterine artery, 627
LARSSON, A. (*see* LARSSON ET AL.), 654
LARSSON, G., OTTENBLAD, C., HAGENFELDT, L., LARSSON, A., and FORSGREN, M. Evaluation of serum γ-glutamyl transferase as a screening method for excessive alcohol consumption during pregnancy, 654
LAUFER, N., PRATT, B. M., DECHERNEY, A. H., NAFTOLIN, F., MERINO, M., and MARKERT, C. L. The in vivo and in vitro effects of elomiphene citrate on ovulation, fertilization, and development of cultured mouse oocytes, 633
LAVIN, JUSTIN P., JR., LOVELACE, DONALD R., MIODOVNIK, MENACHEM, KNOWLES, HARVEY C., and BARDEN, TOM P. Clinical experience with one hundred seven diabetic pregnancies, 742
LAWSON, G. W., BELCHER, R., DAWES, G. S., and REDMAN, C. W. G. A comparison of ultrasound (with autocorrelation) and direct electrocardiogram fetal heart rate detector systems, 721 (Comm. in brief)
LEAKE, R. D. (*see* ROSS ET AL.), 697
LEDGER, WILLIAM J. (*see* WITKIN, YU, and LEDGER), 809
LEE, J. N. (*see* GRUDZINSKAS ET AL.), 10
LEHTOVIRTA, PENTTI (*see* LANTTA, KÄRKÄINEN, and LEHTOVIRTA), 627
LEONARD, ROBERT G. (*see* STRICKLAND ET AL.), 769
LEPPÄLUOTO, J. (*see* JOUPPILA ET AL.), 799
LEVIN, DAVID K., GORCHELS, CATHERINE, and ANDERSEN, ROGER. Reduction of post–cesarean section infectious morbidity by means of antibiotic irrigation, 273
LEVINSON, GERSHON (*see* SHNIDER ET AL.), 13
LIFSHITZ, SAMUEL (*see* BERNSTEIN ET AL.), 385
LIN, LI SHEI (*see* CARITIS ET AL.), 752
LIND, TOM (*see* ASPILLAGA ET AL.), 903
LINDER, JAMES (*see* NAGEY, FORTIER, and LINDER), 103
—(*see* NAGEY ET AL.), 463
LINDERKAMP, OTWIN (*see* OZANNE ET AL.), 576
LINN, SHAI, SCHOENBAUM, STEPHEN C., MONSON, RICHARD R., ROSNER, BERNARD, STUBBLEFIELD, PHILLIP G., and RYAN, KENNETH J. Lack of association between contraceptive usage and congenital malformations in offspring, 923
LIRETTE, TERRESE (*see* ARTAL ET AL.), 537
LOBO, ROGERIO A. (*see* SHOUPE, KUMAR, and LOBO), 588
LOMELI, ROSA MARIA (*see* DAVIES and LOMELI), 838
LÓPEZ BERNAL, A. (*see* EGUILUZ ET AL.), 949
LOTT, D. (*see* VERHOEVEN ET AL.), 825
LOUGHLIN, JACQUELYN S. (*see* FILICORI ET AL.), 726
LOUIK, CAROL (*see* MITCHELL ET AL.), 737
LOVELACE, DONALD R. (*see* LAVIN ET AL.), 742
LUUKKAINEN, TAPANI, ALLONEN, HANNU, NIELSEN, NIELS-CHRISTIAN, NYGREN, KARL-GÖSTA, and PYÖRÄLÄ, TAPANI. Five years' experience of intrauterine contraception with the Nova-T and the Copper-T-200, 885

M

MCCARTHY, BRIAN J. (*see* SPITZ ET AL.), 295
MCCARTHY, THOMAS A. (*see* BERGMAN and MCCARTHY), 325
MCCARTNEY, A. J. (*see* MARTIN ET AL.), 322
MCCLELLAN, STEPHANIE N. (*see* ARTAL ET AL.), 537
MACDONALD, D. J., SCOTT, JEAN M., GEMMELL, R. S., and MACK, D. S. A prospective study of three biochemical fetoplacental tests: Serum human placental lactogen, pregnancy-specific β_1-glycoprotein, and urinary estrogens, and their relationship to placental insufficiency, 430
MACDONALD, PAUL C. (*see* OKITA, JOHNSTON, and MACDONALD), 477
—(*see* CUNNINGHAM ET AL.), 573
—(*see* PARKER ET AL.), 415, 955
MCGAGHIE, WILLIAM C. (*see* HERBERT, MCGAGHIE, and FORSYTHE), 73
MACK, D. S. (*see* MACDONALD ET AL.), 430
MCPHERSON, K. (*see* EGUILUZ ET AL.), 949
MAHONEY, MAURICE J. (*see* CHERVENAK ET AL.), 703
MAKIMURA, NORIKO (*see* NAGATA ET AL.), 259
MALSTRÖM, ANDERS (*see* ULDBJERG ET AL.), 662
MALY, ROBERT P. (*see* FERGUSON ET AL.), 759
MANABE, YUKIO, and SAGAWA, NORIMASA. Changes in the mechanical forces of cervical distention before and after rupture of the membranes, 667
MANCHESTER, DAVID K. (*see* CLEWELL and MANCHESTER), 346
MARKERT, C. L. (*see* LAUFER ET AL.), 633
MARKS, JAMES (*see* SPITZ ET AL.), 295
MARRS, RICHARD P., VARGYAS, JOYCE M., GIBBONS, WILLIAM E., SAITO, HIDEKAZU, and MISHELL, DANIEL R., JR. A modified technique of human in vitro fertilization and embryo transfer, 318
—(*see* KLETZKY, MARRS, and DAVAJAN), 528
MARSÁL, KAREN (*see* EKMAN ET AL.), 657
MARTEL, MIGUEL (*see* FESCINA and MARTEL), 928
MARTIN, BEN R., III, ORR, JAMES W., JR., and AUSTIN, J. MAXWELL, JR. Cervical choriocarcinoma associated with an intrauterine contraceptive device: A case report, 343 (Comm. in brief)
MARTIN, J. D., HÄHNEL, R., MCCARTNEY, A. J., and WOODINGS, T. L. The effect of estrogen receptor status on survival in patients with endometrial cancer, 322
MARTINEZ, FEDERICO, CHEUNG, SAU WAI, CRANE, JAMES P., and ARIAS, FERNANDO. Use of trophoblast cells in tissue culture for fetal chromosomal studies, 542
MATSUURA, SHUMPEI, NADEN, RAYMOND P., GANT, NORMAN F., JR., and PARKER, C. RICHARD, JR. Effect of hypertonic saline on vascular responses to angiotensin II in pregnancy, 231
MAXSON, WAYNE (*see* PITTAWAY ET AL.), 623
MAYDEN, KARA (*see* CHERVENAK ET AL.), 703
MEIS, PAUL J. (*see* BLAND ET AL.), 781
—(*see* JONES ET AL.), 121
MEISELMAN, HERBERT J. (*see* OZANNE ET AL.), 576
MELVIN, JOSEPH R. (*see* SANFILIPPO ET AL.), 364
MENABAWEY, M. (*see* GRUDZINSKAS ET AL.), 10
MENDENHALL, HIRAM W. (*see* WOOLLEY, PEEVY, and MENDENHALL), 701
MERINO, M. (*see* LAUFER ET AL.), 633
VAN DER MERWE, JAN V. (*see* HAMMOND ET AL.), 148
MESTMAN, JORGE (*see* ARTAL ET AL.), 537
METZGER, BOYD E. (*see* PHELPS ET AL.), 651
MEYER, JULIEN H., JR. Early office termination of pregnancy by soft cannula vacuum aspiration, 202
MICHELAKIS, ANDREW M. (*see* GOSSAIN ET AL.), 618
MIKHAIL, GEORGE (*see* SGARLATA, HERTELENDY, and MIKHAIL), 563
MILLER, FRANKLIN C. (*see* OZANNE ET AL.), 576
MILLER, JOSEPH M., JR. A reappraisal of "tight control" in diabetic pregnancies, 158
MILLER, TIM C., DENSBERGER, MARY, and KROGMAN, JOAN. Maternal transport and the perinatal denominator, 19
MILLIGAN, J. E. (*see* HAWRYLYSHYN ET AL.), 240
MINKOFF, HOWARD (*see* GRUNEBAUM ET AL.), 919
MIODOVNIK, MENACHEM (*see* LAVIN ET AL.), 742
MISHELL, DANIEL R., JR. (*see* MARRS ET AL.), 318
MITCHELL, ALLEN A., SCHWINGL, PAMELA J., ROSENBERG, LYNN, LOUIK, CAROL, and SHAPIRO, SAMUEL. Birth defects in relation to Bendectin use in pregnancy. II. Pyloric stenosis, 737
MITCHELL, MURRAY D. (*see* CASEY, CUTRER, and MITCHELL), 547
MIZUNO, MASAHIKO (*see* KUWABARA ET AL.), 766
MOAWAD, ATEF H. (*see* EVANS ET AL.), 410
—(*see* SRIDAMA ET AL.), 566
MOBERG, LESLIE J. (*see* GARITE ET AL.), 681
MOGELNICKI, STANLEY R. (*see* POWELL ET AL.), 196
MONDON, F. (*see* HUBERT ET AL.), 676
MONSON, RICHARD R. (*see* LINN ET AL.), 923
MONTORO, MARTIN (*see* ARTAL ET AL.), 537
MONTZ, FREDERICK J. (*see* SHOUPE ET AL.), 482
MORRISON, J. C. (*see* PARKER ET AL.), 955
MORRISON, JOHN (*see* CURET ET AL.), 446
MUECHLER, EBERHARD K., and HUANG, KO-EN. Plasma estrogen and progesterone in quintuplet pregnancy induced with menotropins, 105 (Comm. in brief)
MÜLLER, NORBERT (*see* KOENIG and MÜLLER), 671
MURATA, TERUO (*see* KUWABARA ET AL.), 766

N

NADEN, RAYMOND P. (*see* MATSUURA ET AL.), 231
NAFTOLIN, FREDERICK, PUJOL-AMAT, PEDRO, CORKER, CHARLES S., SHANE, JOHN M., POLANI, PAUL E., KOHLINSKY, SHEILA, YEN, SAMUEL S. C., and BOBROW, MARTIN. Gonadotropins and gonadal steroids in androgen insensitivity (testicular feminization) syndrome: Effects of castration and sex steroid administration, 491

—(*see* LAUFER ET AL.), 633
NAGATA, ICHIRO, KATO, KOICHI, MAKIMURA, NORIKO, UESATO, TADASHI, SEKI, KATSUYOSHI, and KIKUCHI, YOSHIHIRO. Comparison of plasma oxytocin levels during spontaneous labor and labor induced by amniotomy, prostaglandin $F_{2\alpha}$, and prostaglandin E_2, 259
NAGEY, DAVID A., ALAWODE, NELSON A., PUPKIN, MARCOS J., and CRENSHAW, CARLYLE, JR. Isovolumetric partial exchange transfusion in the management of sickle cell disease in pregnancy. II. Simplified ambulatory technique, 693
—, FORTIER, KENNETH J., HAYES, BEN A., and LINDER, JAMES. Takayasu's arteritis in pregnancy: A case presentation demonstrating the absence of placental pathology, 463 (Comm. in brief)
—, —, and LINDER, JAMES. Pregnancy complicated by periarteritis nodosa: Induced abortion as an alternative, 103 (Comm. in brief)
NATHANIELSZ, P. W. (*see* JANSEN and NATHANIELSZ), 508
NEER, KAREL J. (*see* ROBERTSON and NEER), 170
NELSON, LEWIS H. (*see* BLAND ET AL.), 781
NICOLLS, E. (*see* ROSS ET AL.), 897
NIEBURG, PHILLIP, and GROSS, STEVEN J. Cerebrospinal fluid leak in a neonate associated with fetal scalp electrode monitoring, 839 (Comm. in brief)
NIELSEN, NIELS-CHRISTIAN (*see* LUUKKAINEN ET AL.), 885
NISHIMURA, KAZUNORI (*see* BIENIARZ ET AL.), 327
NOBLES, BRENDA (*see* HEMSELL ET AL.), 379, 520
NUTTALL, I. D. (*see* IDDENDEN and NUTTALL), 971
NUWAYHID, B. (*see* USHIODA ET AL.), 423
NYGREN, KARL-GÖSTA (*see* LUUKKAINEN ET AL.), 885
NYLUND, LARS (*see* BISTOLETTI ET AL.), 785

O

OAKES, G. (*see* ROSS ET AL.), 697
O'BRIEN, PETER C. (*see* HILL ET AL.), 407
O'BRIEN, WILLIAM F. (*see* DRAKE, O'BRIEN, and RAMWELL), 63
OH, WILLIAM (*see* TENENBAUM ET AL.), 48
OKITA, JANICE R., JOHNSTON, JOHN M., and MACDONALD, PAUL C. Source of prostaglandin precursor in human fetal membranes: Arachidonic acid content of amnion and chorion laeve in diamnionic-dichorionic twin placentas, 477
OLSSON, KJELL (*see* ULDBJERG ET AL.), 662
ORR, JAMES W., JR. (*see* MARTIN, ORR, and AUSTIN), 343
ORY, STEVEN J. (*see* HAMMOND ET AL.), 148
OSBORN, LUCY M. (*see* TABAK, HART, and OSBORN), 845
OSBORNE, ROY P. (*see* CARLSON ET AL.), 840
OTTENBLAD, C. (*see* LARSSON ET AL.), 654
OTTESEN, BENT. Vasoactive intestinal polypeptide as a neurotransmitter in the female genital tract, 208
OZANNE, PATRICK, LINDERKAMP, OTWIN, MILLER, FRANKLIN C., and MEISELMAN, HERBERT J. Erythrocyte aggregation during normal pregnancy, 576

P

PAI, G. SHASHIDHAR (*see* HORGER and PAI), 163
PANETH, NIGEL, and STARK, RAYMOND I. Cerebral palsy and mental retardation in relation to indicators of perinatal asphyxia, 960 (Current developments)
PAPSIN, F. R. (*see* HAWRYLYSHYN ET AL.), 240
PARER, J. T. The influence of β-adrenergic activity on fetal heart rate and the umbilical circulation during hypoxia in fetal sheep, 592
PARKER, C. RICHARD, JR., CARR, BRUCE R., CASEY, M. LINETTE, GANT, NORMAN F., and MACDONALD, PAUL C. Extra-adrenal deoxycorticosterone production in hypoestrogenic pregnancies: Serum concentrations of progesterone and deoxycorticosterone in anencephalic fetuses and in women pregnant with an anencephalic fetus, 415
—, —, RAGLAND, S. R., MORRISON, J. C., HERBERT, W. N. P., and MACDONALD, P. C. Ontogeny of human fetal plasma progesterone, deoxycorticosterone, and deoxycorticosterone sulfate, 955
—(*see* MATSUURA ET AL.), 231
PARKER, ROY T. (*see* BANDY, ADDISON, and PARKER), 359
PARRILLA, J. J. (*see* EGUILUZ ET AL.), 949
PARRY, MARIAN A. (*see* VAN DEN BERG and PARRY), 719
PATRICK, JOHN E. (*see* ADAMSON ET AL.), 288
PATTERSON, ROBERT M., HAYASHI, ROBERT H., and CAVAZOS, DORA. Ultrasonographically observed early placental maturation and perinatal outcome, 773
PAYNE, PATRICIA (*see* CRENSHAW ET AL.), 125
PEARSE, WARREN H. Is there a surplus of obstetrician-gynecologists, 133
PEEVY, KEITH J. (*see* WOOLLEY, PEEVY, and MENDENHALL), 701
PETERS, WILLIAM A., III (*see* THORNTON and PETERS), 140
PETRIKKOS, GEORGE (*see* GIAMARELLOU ET AL.), 914
PHELPS, RICHARD L., HONIG, GEORGE R., GREEN, DAVID, METZGER, BOYD E., FREDERICKSEN, MARILYNN C., and FREINKEL, NORBERT. Biphasic changes in hemoglobin A_k concentrations during normal human pregnancy, 651
PHIBBS, GARTH D., SMITH, JULIAN P., and STANHOPE, C. ROBERT. Analysis of sites of persistent cancer at "second-look" laparotomy in patients with ovarian cancer, 611
PHILLIPS, GEORGE L., JR. (*see* HANNA ET AL.), 872
PIASECKI, GEORGE J. (*see* TENENBAUM ET AL.), 48
PIERSON, WAYNE (*see* HANKINS ET AL.), 254
PIOT, PETER, VAN DYCK, EDDY, GODTS, PIETER, and VANDERHEYDEN, JOZEF. A placebo-controlled, double-blind comparison of tinidazole and triple sulfonamide cream for the treatment of nonspecific vaginitis, 85
PITKIN, ROY M. (*see* VARNER ET AL.), 762
PITTAWAY, DONALD E., WINFIELD, ALAN C., MAXSON, WAYNE, DANIELL, JAMES, HERBERT, CARL, and WENTZ, ANNE COLSTON. Prevention of acute pelvic inflammatory disease after hysterosalpingography: Efficacy of doxycycline prophylaxis, 623
PIVER, M. STEVEN, BARLOW, JOSEPH J., VONGTAMA, VITUNE, and BLUMENSON, LESLIE. Hydroxyurea: A radiation potentiator in carcinoma of the uterine cervix, 803
PLATT, LAWRENCE D., ARTAL, RAUL, SEMEL, JANE, SIPOS, LOUISE, and KAMMULA, RAO K. Exercise in pregnancy. II. Fetal responses, 487
POHJAVUORI, M., FORSS, M., and KARINIEMI, V. Perinatal heart rate variability and circulatory adaptation in association with normal labor and after elective cesarean section, 943
POLANI, PAUL E. (*see* NAFTOLIN ET AL.), 491
POLLARD, A. (*see* HAWRYLYSHYN ET AL.), 240
POOLE, W. KENNETH (*see* CURET ET AL.), 446
POPE, VALERIE Z. (*see* BECK ET AL.), 815
POTISH, ROGER A., TWIGGS, LEO B., ADCOCK, LEON L., and PREM, KONALD A. Logistic models for prediction of enteric morbidity in the treatment of ovarian and cervical cancers, 65
POWELL, JOHN L., MOGELNICKI, STANLEY R., FRANKLIN, ERNEST W., III, CHAMBERS, DONN A., and BURRELL, MATTHEW O. A deliberate hypotensive technique for decreasing blood loss during radical hysterectomy and pelvic lymphadenectomy, 196
PRATT, B. M. (*see* LAUFER ET AL.), 633
PREM, KONALD A. (*see* POTISH ET AL.), 65
PRIOR, JERILYNN C. (*see* WALTERS ET AL.), 639
PUJOL-AMAT, PEDRO (*see* NAFTOLIN ET AL.), 491
PUPKIN, MARCOS J. (*see* NAGEY ET AL.), 693
PUUKKA, M. (*see* KIRKINEN ET AL.), 939
PYÖRÄLÄ, TAPANI (*see* LUUKKAINEN ET AL.), 885

R

RAGLAND, S. R. (*see* PARKER ET AL.), 955
RAMWELL, PETER W. (*see* DRAKE, O'BRIEN, and RAMWELL), 63
RAO, A. VIJAYA (*see* CURET ET AL.), 446
RAPOPORT, ISAAC (*see* ADAMSON ET AL.), 288
RASMUSSEN, ANNE B. (*see* FUCHS ET AL.), 497
—(*see* HUSSLEIN ET AL.), 503
RAWLINS, SUSAN (*see* CUNNINGHAM ET AL.), 573
RAYBURN, WILLIAM F., DONN, STEVEN M., and WULF, MARIAN E. Iron overdose during pregnancy: Successful therapy with deferoxamine, 717 (Comm. in brief)
—(*see* BARRETT, RAYBURN, and BARR), 846
RAZEL, ANTHONY J. (*see* COULAM ET AL.), 513
REDMAN, C. W. G. (*see* LAWSON ET AL.), 721
REECE, E. ALBERT (*see* ROMERO ET AL.), 108
REISCH, JOAN (*see* HEMSELL ET AL.), 520
RICHART, RALPH M. (*see* CRUM ET AL.), 812
RIDDICK, DANIEL H. (*see* WALTERS ET AL.), 639
RIELY, CAROLINE (*see* ROMERO ET AL.), 108
RIVIER, JEAN (*see* FILICORI ET AL.), 726
ROBERTSON, ALEX F. (*see* KARP, ROBERTSON, and DAVIS), 341
ROBERTSON, EUAN G., and NEER, KAREL J. Placental injection studies in twin gestation, 170
ROBINSON, KATHY S., KAVLOCK, ROBERT J., and WATKINSON, WILLIAM P. Electrocardiographic responses of rat fetuses with clamped or intact umbilical cords to acute maternal uterine ischemia, 795
ROGOL, A. D. (*see* KRUG ET AL.), 38
ROLDAN, ENEIDA O. (*see* WETLI, ROLDAN, and FOJACO), 7
ROMERO, ROBERTO, REECE, E. ALBERT, RIELY, CAROLINE, and HOBBINS, JOHN C. Arteriohepatic dysplasia in pregnancy, 108 (Comm. in brief)
—(*see* CHERVENAK ET AL.), 703

ROSE, JAMES C. (*see* JONES ET AL.), 121
ROSENBERG, LYNN (*see* MITCHELL ET AL.), 737
ROSENFELD, TIBERIU (*see* SHARF ET AL.), 300
ROSENKRANTZ, TED S. (*see* TENENBAUM ET AL.), 48
ROSNER, BERNARD (*see* LINN ET AL.), 923
ROSS, M. G., ERVIN, M. G., LEAKE, R. D., OAKES, G., HOBEL, C., and FISHER, D. A. Bulk flow of amniotic fluid water in response to maternal osmotic challenge, 697
—, NICOLLS, E., STUBBLEFIELD, P. G., and KITZMILLER, J. L. Intravenous terbutaline and simultaneous β_1-blockade for advanced premature labor, 897
ROTE, NEAL S., and CAUDLE, MICHAEL R. Circulating immune complexes in pregnancy, preeclampsia, and autoimmune diseases: Evaluation of Raji cell enzyme-linked immunosorbent assay and polyethylene glycol precipitation methods, 267
ROTI, ELIO, FANG, SHIH-LIEH, GREEN, KAREN, BRAVERMAN, LEWIS E., and EMERSON, CHARLES H. Inner ring deiodination of thyroxine and 3,5,3′-triiodothyronine by human fetal membranes, 788
ROVNER, DAVID R. (*see* GOSSAIN ET AL.), 618
RUBIN, GEORGE L. (*see* SPITZ ET AL.), 295
RUDOLPH, ABRAHAM M. (*see* ITSKOVITZ, LAGAMMA, and RUDOLPH), 451
RYAN, KENNETH J. (*see* BARBIERI and RYAN), 90
—(*see* LINN ET AL.), 923

S

SAGAWA, NORIMASA (*see* MANABE and SAGAWA), 667
SAITO, HIDEKAZU (*see* MARRS ET AL.), 318
SAKAMOTO, SHOICHI (*see* KUWABARA ET AL.), 766
SANDERS, ROCHELLE (*see* DUFF, SANDERS, and GIBBS), 391
SANFILIPPO, JOSEPH S., TEICHMAN, JEB, MELVIN, JOSEPH R., and WITTLIFF, JAMES L. Influence of danazol on cytoplasmic and nuclear estrogen binding capacity in the uterus, 364
SARDA, PIERRE, BARD, HARRY, TEASDALE, FRANÇOIS, and GRIGNON, ANDRÉE. The importance of an antenatal ultrasonographic diagnosis of correctable fetal malformations, 443
SCHIFFMAN, GERALD (*see* GRUNEBAUM ET AL.), 919
SCHLÖSSER, H. W. (*see* VERHOEVEN ET AL.), 825
SCHNEIDER, H. (*see* SODHA and SCHNEIDER), 303
SCHNEIDER, J. (*see* VERHOEVEN ET AL.), 825
SCHOENBAUM, STEPHEN C. (*see* LINN ET AL.), 923
SCHULZ, KENNETH F. (*see* KAFRISSEN ET AL.), 344
SCHWARZ, RICHARD H. (*see* GRUNEBAUM ET AL.), 919
SCHWINGL, PAMELA J. (*see* MITCHELL ET AL.), 737
SCOMMEGNA, ANTONIO (*see* CARSON ET AL.), 932
SCOTT, J. W. A new uterine manipulator for use at laparoscopy, 458 (Comm. in brief)
SCOTT, JEAN M. (*see* MACDONALD ET AL.), 430
SCULLY, ROBERT E. (*see* CRAMER ET AL.), 1
SEKI, KATSUYOSHI (*see* NAGATA ET AL.), 259
SEKIYA, S. (*see* HIGAKI ET AL.), 974
SEMEL, JANE (*see* PLATT ET AL.), 487
SGARLATA, CARMELO S., HERTELENDY, FRANK, and MIKHAIL, GEORGE. The prostanoid content in peritoneal fluid and plasma of women with endometriosis, 563
SHANE, JOHN M. (*see* NAFTOLIN ET AL.), 491
SHAPIRO, ISRAEL (*see* SHARF ET AL.), 300
SHAPIRO, SAMUEL (*see* MITCHELL ET AL.), 737
SHARF, MORDECHAI, ABINADER, EDWARD G., SHAPIRO, ISRAEL, ROSENFELD, TIBERIU, and EIBSCHITZ, IZU. Prenatal echocardiographic diagnosis of Ebstein's anomaly with pulmonary atresia, 300
SHARMA, SUBHASH C. (*see* CARLSON ET AL.), 840
SHAVER, DAVID C. (*see* SIBAI ET AL.), 16
SHERLINE, DONALD M. Picenadol (LY 150720) compared with meperidine and placebo for relief of post–cesarean section pain: A randomized double-blind study, 404
SHERMA, NARINDA K. (*see* GOSSAIN ET AL.), 618
SHNIDER, SOL M., ABBOUD, THERESE K., ARTAL, RAUL, HENRIKSEN, EVA H., STEFANI, STEPHEN J., and LEVINSON, GERSHON. Maternal catecholamines decrease during labor after lumbar epidural anesthesia, 13
SHOUPE, DONNA, KUMAR, DINESH D., and LOBO, ROGERIO A. Insulin resistance in polycystic ovary syndrome, 588
—, MONTZ, FREDERICK J., KLETZKY, OSCAR A., and DIZEREGA, GERE S. Prolactin molecular heterogeneity, 482
SHULMAN, STANFORD T. (*see* DELAPLANE ET AL.), 342
SIBAI, BAHA M., ANDERSON, GARLAND D., SPINNATO, JOSEPH A., and SHAVER, DAVID C. Plasma volume findings in patients with mild pregnancy-induced hypertension, 16
SIEGBERG, R. (*see* KARINIEMI ET AL.), 793
SIEGLE, RONALD J., HEADINGTON, JOHN T., and SWANSON, NEIL A. Early invasive carcinoma of the vulva treated with the Mohs technique of microscopically controlled surgery, 459 (Comm. in brief)
SIKKA, A., KEMMANN, E., VRABLIK, R. M., and GROSSMAN, L. Carpal tunnel syndrome associated with danazol therapy, 102 (Comm. in brief)
SIMPSON, PETER C., TRUDINGER, BRIAN J., WALKER, ANTHONY, and BAIRD, PHILLIP J. The intrauterine treatment of fetal cardiac failure in a twin pregnancy with an acardiac, acephalic monster, 842 (Comm. in brief)
SINGHAS, C. A. (*see* KRUG ET AL.), 38
SIPOS, LOUISE (*see* PLATT ET AL.), 487
SISENWEIN, FLORENCE E., TEJANI, NERGESH A., BOXER, HARRIET S., and DIGIUSEPPE, RAYMOND. Effects of maternal ethanol infusion during pregnancy on the growth and development of children at four to seven years of age, 52
SMITH, JULIAN P. (*see* PHIBBS, SMITH, and STANHOPE), 611
SODHA, R. J., and SCHNEIDER, H. Transplacental transfer of beta-adrenergic drugs studied by an in vitro perfusion method of an isolated human placental lobule, 303
SOLDIN, S. (*see* HAWRYLYSHYN ET AL.), 240
SPELSBERG, THOMAS C. (*see* COULAM ET AL.), 513
SPINNATO, JOSEPH A. (*see* SIBAI ET AL.), 16
SPITZ, ALISON M., RUBIN, GEORGE L., MCCARTHY, BRIAN J., MARKS, JAMES, BURTON, ANTHONY H., and BERRIER, ELIZABETH. The impact of publicly funded perinatal care programs on neonatal outcome, Georgia, 1976-1978, 295
SRIDAMA, VITAYA, YANG, SEN-LIAN, MOAWAD, ATEF, and DEGROOT, LESLIE J. T-cell subsets in patients with preeclampsia, 566
STANHOPE, C. ROBERT (*see* PHIBBS, SMITH, and STANHOPE), 611
STARK, RAYMOND I. (*see* PANETH and STARK), 960
STASSEN, MARITA J. P. (*see* KORENROMP ET AL.), 465
STAVCHANSKY, SALOMAN (*see* STRICKLAND ET AL.), 769
STEFANI, STEPHEN J. (*see* SHNIDER ET AL.), 13
STINSON, EDWARD B. (*see* FERGUSON ET AL.), 759
STOELK, EUGENE M. (*see* CRUIKSHANK and STOELK), 724
STRICKLAND, DANIEL M., LEONARD, ROBERT G., STAVCHANSKY, SALOMAN, BENOIT, THOMAS, and WILSON, RONALD T. Vaginal absorption of hexachlorophene during labor, 769
STRIEB, ERICH (*see* GOODLIN ET AL.), 841
STRÖM, HELGE (*see* BISTOLETTI ET AL.), 785
STUBBLEFIELD, PHILLIP G. (*see* LINN ET AL.), 923
—(*see* ROSS ET AL.), 897
SULLIVANT, HENRY (*see* KHOUZAMI ET AL.), 552
SUMULONG, LINDA (*see* HUSSLEIN ET AL.), 503
SUN, SALLIE F. (*see* GOODLIN ET AL.), 841
SUR, SUDHA. Recurrent periclitoral abscess treated by marsupialization, 340 (Comm. in brief)
SVENSSON, JAN (*see* COULAM ET AL.), 513
SWANSON, NEIL A. (*see* SIEGLE, HEADINGTON, and SWANSON), 459
SYMONS, JUDY L. (*see* GARITE ET AL.), 681
SYNAN, INGRID S. (*see* CLARKE-PEARSON, SYNAN, and CREASMAN), 369

T

TABAK, MICHAEL A., HART, MICHAEL D., and OSBORN, LUCY M. *Campylobacter* enteritis: Prenatal and perinatal implications, 845 (Comm. in brief)
TABSH, K. (*see* USHIODA ET AL.), 423
TAKAMIZAWA, H. (*see* HIGAKI ET AL.), 974
TEASDALE, FRANÇOIS (*see* SARDA ET AL.), 443
TEICHMAN, JEB (*see* SANFILIPPO ET AL.), 364
TEJANI, NERGESH A. (*see* SISENWEIN ET AL.), 52
TENEBAUM, DENIS G., PIASECKI, GEORGE J., OH, WILLIAM, ROSENKRANTZ, TED S., and JACKSON, BENJAMIN T. Fetal polycythemia and hyperviscosity: Effect on umbilical blood flow and fetal oxygen consumption, 48
TENG, NELSON N. H. (*see* WU, BALLON, and TENG), 821
THIAGARAJAH, S. (*see* KRUG ET AL.), 38
THIERY, MICHEL (*see* DEFOORT and THIERY), 973
THOMAS, MARTIN A. (*see* DUNNER ET AL.), 969
THORNTON, W. NORMAN, JR., and PETERS, WILLIAM A., III. Repair of vaginal prolapse after hysterectomy, 140
TICE, THOMAS R. (*see* BECK ET AL.), 815
TOBIAS, MITCHELL (*see* DAWOOD ET AL.), 584
TOIG, GARY (*see* CARITIS ET AL.), 752
TORTORA, MARGE (*see* CHERVENAK ET AL.), 703
TOUWEN, B. C. L. (*see* HUISJES and TOUWEN), 250
TRUDINGER, BRIAN J. (*see* SIMPSON ET AL.), 842
TSOUTSOPLIDES, GEORGE C. Endometrial adenocarcinoma and the Stein-Leventhal syndrome, 844 (Comm. in brief)
TUNCA, JOSH C. Nutritional evaluation of gynecologic cancer patients during initial diagnosis of their disease, 893

TWIGGS, LEO B. (*see* POTISH ET AL.), 65

U

UCHIDA, KENKO (*see* YAMAZAKI and UCHIDA), 25
UELAND, KENT (*see* FERGUSON ET AL.), 759
UESATO, TADASHI (*see* NAGATA ET AL.), 259
ULDBJERG, NIELS, EKMAN, GUNVOR, MALMSTRÖM, ANDERS, OLSSON, KJELL, and ULMSTEN, ULF. Ripening of the human uterine cervix related to changes in collagen, glycosaminoglycans, and collagenolytic activity, 662
ULEP, ELENA (*see* CARSON ET AL.), 932
ULMSTEN, ULF (*see* EKMAN ET AL.), 657
—(*see* ULDBJERG ET AL.), 662
URFER, FRANÇOIS N. (*see* DE MUYLDER ET AL.), 285
USHIODA, E., NUWAYHID, B., KLEINMAN, G., TABSH, K., BRINKMAN, C. R., III, and ASSALI, N. S. The contribution of the β-adrenergic system to the cardiovascular response to hypovolemia, 423

V

VALE, WYLIE (*see* FILICORI ET AL.), 726
VALENZUELA, GUILLERMO, CLINE, SUSAN, and HAYASHI, ROBERT H. Follow-up of hydration and sedation in the pretherapy of premature labor, 396
VANDERHEYDEN, JOZEF (*see* PIOT ET AL.), 85
VAN DYCK, EDDY (*see* PIOT ET AL.), 85
VARGYAS, JOYCE M. (*see* MARRS ET AL.), 318
VARNER, MICHAEL W., CRUIKSHANK, DWIGHT P., and PITKIN, ROY M. Calcium metabolism in the hypertensive mother, fetus, and newborn infant, 762
VERHOEVEN, H. C., LOTT, D., SCHNEIDER, J., and SCHLÖSSER, H. W. Surgical alteration of the mesosalpinx and its influence upon ovarian ovulatory function in the rabbit, 825
VERKAUF, BARRY S. The incidence and outcome of single-factor, multifactorial, and unexplained infertility, 175
VERMEULEN, CHRISTIAN (*see* BOUALLOUCHE ET AL.), 57
VOET, RICHARD L. (*see* BERNSTEIN ET AL.), 385
VONGTAMA, VITUNE (*see* PIVER ET AL.), 803
VRABLIK, R. M. (*see* SIKKA ET AL.), 102
VUOLTEENAHO, O. (*see* JOUPPILA ET AL.), 799
VUORI, J. (*see* KIRKINEN ET AL.), 939

W

WADE, RONALD V. (*see* YOUNG ET AL.), 181
WADSWORTH, J. (*see* GRUDZINSKAS ET AL.), 10
WAHBEH, CAMILLE J. (*see* EDEN ET AL.), 106, 645
WALKER, ANTHONY (*see* SIMPSON ET AL.), 842
WALLACE, ROGER L., and YONEKURA, M. LYNN. The use of prophylactic antibiotics in patients undergoing emergency primary cesarean section, 533
WALTERS, CLIFFORD A., DALY, DOUGLAS C., CHAPITIS, JANE, KUSLIS, SALLY T., PRIOR, JERILYNN C., KUSMIK, WILLIAM F., and RIDDICK, DANIEL H. Human myometrium: A new potential source of prolactin, 639
WATKINSON, WILLIAM P. (*see* ROBINSON, KAVLOCK, and WATKINSON), 795
WATT, GEORGE W. (*see* YOUNG ET AL.), 181
WAYNE, JOHN B. (*see* GOLDENBERG ET AL.), 687
WEAVER, RICHARD L. (*see* BLAND ET AL.), 781
WEINTRAUB, HOWARD S. (*see* ABRAMS and WEINTRAUB), 970
WELANDER, CHARLES E., HOMESLEY, HOWARD D., and JOBSON, VERNON W. In vitro chemotherapy testing of gynecologic tumors: Basis for planning therapy, 188
WELCH, WILLIAM R. (*see* CRAMER ET AL.), 1
WENTZ, ANNE COLSTON (*see* PITTAWAY ET AL.), 623
WETLI, CHARLES V., ROLDAN, ENEIDA O., and FOJACO, RITA M. Listeriosis as a cause of maternal death: An obstetric complication of the acquired immunodeficiency syndrome (AIDS), 7
WHITE, TERRY (*see* GARITE ET AL.), 681
WHITTAKER, PAUL G. (*see* ASPILLAGA ET AL.), 903
WIEBE, R. HERBERT (*see* HAMMOND ET AL.), 148
WILBORN, WALTER H. (*see* BECK ET AL.), 815
WILLIAMS, ANN V. (*see* EDEN ET AL.), 106, 645
WILLIAMS, NATHAN E. (*see* GOODLIN ET AL.), 841
WILSON, RONALD T. (*see* STRICKLAND ET AL.), 769
WILTJER, S. L. (*see* GRUNDY and WILTJER), 718
WINFIELD, ALAN C. (*see* PITTAWAY ET AL.), 623
WIRINGA, KAREN S. (*see* DELAPLANE ET AL.), 342
WITKIN, STEVEN S., YU, ING RU, and LEDGER, WILLIAM J. Inhibition of *Candida albicans*–induced lymphocyte proliferation by lymphocytes and sera from women with recurrent vaginitis, 809
WITTLIFF, JAMES L. (*see* SANFILIPPO ET AL.), 364
WOLFGRAM, KIM R. (*see* HILL ET AL.), 407
WONG, LAN K. (*see* CARITIS ET AL.), 752
WOOLLEY, BARBARA, PEEVY, KEITH J., and MENDENHALL, HIRAM W. Abnormal fetal heart rate patterns and percentage of creatine phosphokinase-2, 701
WORKMAN, PAUL (*see* KAFRISSEN ET AL.), 344
WOODINGS, T. L. (*see* MARTIN ET AL.), 322
WU, PAUL Y. K. (*see* ARTAL ET AL.), 537
WU, TSAI-FENG, BALLON, SAMUEL C., and TENG, NELSON N. H. Monoclonal versus polyclonal antibody radioimmunoassay against the β-subunit of human chorionic gonadotropin in patients with gestational trophoblastic neoplasia, 821
WULF, MARIAN E. (*see* RAYBURN, DONN, and WULF), 717

Y

YABUSAKI, KENICHI K. (*see* GARITE ET AL.), 681
YAMAZAKI, HIROMITSU, and UCHIDA, KENKO. A mathematical approach to problems of cephalopelvic disproportion at the pelvic inlet, 25
YANG, SEN-LIAN (*see* SRIDAMA ET AL.), 566
YEN, SAMUEL S. C. (*see* NAFTOLIN ET AL.), 491
YOGEV, RAM (*see* DELAPLANE ET AL.), 342
YONEKURA, M. LYNN (*see* WALLACE and YONEKURA), 533
YOUNG, S. ROBERT, WADE, RONALD V., WATT, GEORGE W., HIXSON, ELIZABETH T., and DENNIS, EDWARD J. The results of one thousand consecutive prenatal diagnoses, 181
YU, ING RU (*see* WITKIN, YU, and LEDGER), 809

Z

ZACHMAN, RICHARD D. (*see* CURET ET AL.), 446
ZLATNIK, FRANK J., and BURMEISTER, LEON F. Dietary protein and preeclampsia, 345 (Comm. in brief)

Subject index*

A

Abdominal contractions, unconscious, urinary incontinence due to (Fantl, Hurt, and Dunn), 137
  hysterectomy, elective, prevention of major infection after: individual determination required (Hemsell et al.), 520
Abortion, induced, as alternative: pregnancy complicated by periarteritis nodosa (Nagey, Fortier, and Linder), 103 (Comm. in brief)
  intrauterine incarcerated bowel following uterine perforation during: case report (Dunner et al.), 969 (Comm. in brief)
  methods, induced, coagulopathy and: rates and relative risks (Kafrissen et al.), 344 (Comm. in brief)
Abscess, recurrent periclitoral, treated by marsupialization (Sur), 340 (Comm. in brief)
Absorbance, amniotic fluid, at 650 nm: its relationship to lecithin/sphingomyelin ratio and neonatal pulmonary sufficiency (Khouzami et al.), 552
Acanthosis nigricans, hyperandrogenism, and insulin resistance syndrome: common endocrinopathy with distinct pathophysiologic features (Barbieri and Ryan), 90 (Current developments)
Acardiac, acephalic monster, intrauterine treatment of fetal cardiac failure in twin pregnancy with (Simpson et al.), 842 (Comm. in brief)
Acetylcholinesterase, amniotic fluid, as prenatal diagnostic marker for upper gastrointestinal atresias (Holzgreve and Golbus), 837 (Comm. in brief)
Acquired immunodeficiency syndrome (AIDS), obstetric complication of: listeriosis as cause of maternal death (Wetli, Roldan, and Fojaco), 7
Adenocarcinoma, endometrial, and Stein-Leventhal syndrome (Tsoutsoplides), 844 (Comm. in brief)
Adenoid cystic carcinoma of Bartholin's gland (Bernstein et al.), 385
Adolescents' preference of source to obtain contraceptive information (van den Berg and Parry), 719 (Comm. in brief)
Adrenal, extra-, deoxycorticosterone production in hypoestrogenic pregnancies: serum concentrations of progesterone and deoxycorticosterone in anencephalic fetuses and in women pregnant with anencephalic fetus (Parker et al.), 415
  hyperplasia, virilizing congenital, with normal dehydroepiandrosterone sulfate (Check and Krotec), 972 (Comm. in brief)
  and/or ovarian dysfunction as possible etiology of idiopathic hirsutism, evidence for (Bouallouche et al.), 57
Adrenergic, β-, activity, influence of, on fetal heart rate and umbilical circulation during hypoxia with fetal sheep (Parer), 592
  drugs, transplacental transfer of, studied by in vitro perfusion method of isolated human placental lobule (Sodha and Schneider), 303
  system, contribution of, to cardiovascular response to hypovolemia (Ushioda et al.), 423
Aerobic fitness, body composition, and energy intake, longitudinal study of changes in, in primigravid patients (Dibblee and Graham), 908
Agglutination test, new rapid slide, for amniotic fluid phosphatidylglycerol: laboratory and clinical correlation (Garite et al.), 681
Aggregation, erythrocyte, during normal pregnancy (Ozanne et al.), 576
AIDS (acquired immunodeficiency syndrome), obstetric complication of: listeriosis as cause of maternal death (Wetli, Roldan, and Fojaco), 7
Alabama, neonatal deaths in. III. Out-of-hospital births, 1940-1980 (Goldenberg et al.), 687
Albumin, decreased bilirubin binding by, in late pregnancy (Karp, Robertson, and Davis), 341 (Comm. in brief)
Alcohol consumption, excessive, during pregnancy, evaluation of serum γ-glutamyl transferase as screening method for (Larsson et al.), 654
Alphabet of progress (Fuchs), 311
Ambulatory technique, simplified, II. Isovolumetric partial exchange transfusion in management of sickle cell disease in pregnancy (Nagey et al.), 693
Amenorrhea, hyperprolactinemic, in woman with craniopharyngioma: persisting amenorrhea after prolactin suppression with bromocriptine (Brandeis, Kemmann, and Jones), 109 (Comm. in brief)
Amniocentesis, diagnostic, congenital mucocutaneous candidiasis following (Delaplane et al.), 342 (Comm. in brief)
  with use of continuous real-time echography: experience with two hundred consecutive cases (Defoort and Thiery), 973 (Comm. in brief)
Amnion and chorion laeve, arachidonic acid content of, in diamnionic-dichorionic twin placentas: source of prostaglandin precursor in human fetal membranes (Okita, Johnston, and MacDonald), 477
Amniotic fluid absorbance at 650 nm: its relationship to lecithin/sphingomyelin ratio and neonatal pulmonary sufficiency (Khouzami et al.), 552
  acetylcholinesterase as prenatal diagnostic marker for upper gastrointestinal atresias (Holzgreve and Golbus), 837 (Comm. in brief)
  from patients with intra-amniotic infection and from control subjects, inhibition of group B streptococci by (Blanco, Gibbs, and Krebs), 247
  human, origin of prostanoids in: fetal kidney as source of amniotic fluid prostanoids (Casey, Cutrer, and Mitchell), 547
  phosphatidylglycerol, new rapid slide agglutination test for: laboratory and clinical correlation (Garite et al.), 681
  pressure malformations from chronic leakage of: possible iatrogenic origin of extramembranous pregnancy and extrachorial placenta (Davies and Lomeli), 838 (Comm. in brief)
  water, bulk flow of, in response to maternal osmotic challenge (Ross et al.), 697
Amniotomy, effects of, on fetal heart rate variability during labor (Kariniemi), 975 (Comm. in brief)
  prostaglandin $F_{2\alpha}$, and prostaglandin E_2, comparison of plasma oxytocin levels during spontaneous labor and labor induced by (Nagata et al.), 259
Analgesia, epidural, maternal and umbilical venous plasma immunoreactive β-endorphin levels during labor with and without (Jouppila et al.), 799
Androgen insensitivity (testicular feminization) syndrome, gonadotropins and gonadal steroids in: effects of castration and sex steroid administration (Naftolin et al.), 491
  receptor in human foreskin. II. Characterization of receptor from hypospadiac tissue (Coulam et al.), 513
Anencephalic fetuses, serum concentrations of progesterone and deoxycorticosterone in, and in women pregnant with anencephalic fetus: extra-adrenal deoxycorticosterone production in hypoestrogenic pregnancies (Parker et al.), 415
Anesthesia, lumbar epidural, maternal catecholamines decrease during labor after (Shnider et al.), 13
Angiotensin II, effect of hypertonic saline on vascular responses to, in pregnancy (Matsuura et al.), 231
Anomaly(ies), congenital, among infants of diabetic mothers (Cousins), 333 (Current developments)
  Ebstein's, with pulmonary atresia, prenatal echocardiographic diagnosis of (Sharf et al.), 300
Antenatal ultrasonographic diagnosis of correctable fetal malformations, importance of (Sarda et al.), 443
Antibiotic(s) irrigation, reduction of post–cesarean section infectious morbidity by means of (Levin, Gorchels, and Andersen), 273
  prophylactic, use of, in patients undergoing emergency primary cesarean section (Wallace and Yonekura), 533
Antibody(ies), cytotoxic, occurrence and characterization of different types of, in pregnant women in relation to parity and gestational age (Koenig and Müller), 671
  to large glycopeptides, detection of: new serologic diagnostic method for malignant ovarian germ cell tumors (Higaki et al.), 974 (Comm. in brief)
  levels, maternal, relationship of, to post–cesarean section endometritis (Grunebaum et al.), 919

*September 1, 1-114; September 15, 115-230; October 1, 231-358; October 15, 359-476; November 1, 477-610; November 15, 611-736; December 1, 737-856; December 15, 857-1008.

Antibody(ies)—cont'd
radioimmunoassay, monoclonal versus polyclonal, against β-subunit of human chorionic gonadotropin in patients with gestational trophoblastic neoplasia (Wu, Ballon, and Teng), 821
Anticoagulation therapy for venous thromboembolism in patients with gynecologic malignancy (Clarke-Pearson, Synan, and Creasman, 369
Aortic dissection, acute, during labor, resulting in fetal distress and cesarean section, followed by successful surgical repair: Marfan's syndrome (Ferguson et al.), 759
Arachidonic acid content of amnion and chorion laeve in diamnionic-dichorionic twin placentas: source of prostaglandin precursor in human fetal membranes (Okita, Johnson, and MacDonald), 477
Arteriohepatic dysplasia in pregnancy (Romero et al.), 108 (Comm. in brief)
Arteritis, Takayasu's, in pregnancy: case presentation demonstrating absence of placental pathology (Nagey et al.), 463 (Comm. in brief)
Artery, human uterine, progesterone and estradiol receptors in cytosol of (Lantta, Kärkkäinen, and Lehtovirta), 627
ligation, ovarian, method of: surgical control of pelvic hemorrhage (Cruikshank and Stoelk), 724 (Comm. in brief)
Asphyxia, perinatal, cerebral palsy and mental retardation in relation to indicators of (Paneth and Stark), 960 (Current developments)
Aspiration, soft cannula vacuum, early office termination of pregnancy by (Meyer), 202
Assay, Raji cell enzyme-linked immunosorbent, and polyethylene glycol precipitation methods, evaluation of: circulating immune complexes in pregnancy, preeclampsia, and autoimmune diseases (Rote and Caudle), 267
Atresia(s), pulmonary, prenatal echocardiographic diagnosis of Ebstein's anomaly with (Sharf et al.), 300
upper gastrointestinal, amniotic fluid acetylcholinesterase as prenatal diagnostic marker for (Holzgreve and Golbus), 837 (Comm. in brief)
Autoimmune diseases, pregnancy, and preeclampsia, circulating immune complexes in: evaluation of Raji cell enzyme-linked immunosorbent assay and polyethylene glycol precipitation methods (Rote and Caudle), 267

B

Bartholin's gland, adenoid cystic carcinoma of (Bernstein et al.), 385
Bendectin use in pregnancy, birth defects in relation to. II. Pyloric stenosis (Mitchell et al.), 737
Bilirubin binding, decreased, by albumin in late pregnancy (Karp, Robertson, and Davis), 341 (Comm. in brief)
Binding capacity, cytoplasmic and nuclear estrogen, in uterus, influence of danazol on (Sanfilippo et al.), 364
decreased bilirubin, by albumin in late pregnancy (Karp, Robertson, and Davis), 341 (Comm. in brief)
Biochemical fetoplacental tests, three, prospective study of: serum human placental lactogen, pregnancy-specific β_1-glycoprotein, and urinary estrogens, and their relationship to placental insufficiency (MacDonald et al.), 430
Birth(s) defects in relation to Bendectin use in pregnancy. II. Pyloric stenosis (Mitchell et al.), 737
out-of-hospital, 1940-1980, III. Neonatal deaths in Alabama (Goldenberg et al.), 687
outcome, association of, with subsequent fertility (Bjerkedal and Erickson), 399
Bleeding, acute uterine, uterine tamponade for control of (Goldrath), 869
Blindness, cortical, as initial symptom in severe preeclampsia (Goodlin et al.), 841 (Comm. in brief)
Blockade, β_1-, simultaneous, and intravenous terbutaline for advanced premature labor (Ross et al.), 897
Blood flow, placental and fetal, effect of caffeine on, in human pregnancy (Kirkinen et al.), 939
umbilical, and fetal oxygen consumption, effect on: fetal polycythemia and hyperviscosity (Tenenbaum et al.), 48
lactate measurements, intrapartum fetal, use of, for early diagnosis of fetal distress (Eguiluz et al.), 949
loss during radical hysterectomy and pelvic lymphadenectomy, deliberate hypotensive technique for decreasing (Powell et al.), 196
pressure and heart rate responses to umbilical cord compression in fetal lambs with special reference to mechanism of variable deceleration (Itskovitz, LaGamma, and Rudolph), 451
volume responses, fetal, to intravenous saline solution and dextran (Brace), 777
Books received, 112, 735
Bowel, intrauterine incarcerated, following uterine perforation during abortion: case report (Dunner et al.), 969 (Comm. in brief)
Breast diseases, benign and malignant, thermobiological assessment of (Gautherie), 861
milk, radioactivity in, after intraperitoneal chromic phosphate for treatment of early ovarian cancer (Carlson et al.), 840 (Comm. in brief)
Breathing, human fetal, ultrasonic measurement of rate and depth of: effect of glucose (Adamson et al.), 288
Bromocriptine, persisting amenorrhea after prolactin suppression with: hyperprolactinemic amenorrhea in woman with craniopharyngioma (Brandeis, Kemmann, and Jones), 109 (Comm. in brief)

C

Caffeine, effect of, on placental and fetal blood flow in human pregnancy (Kirkinen et al.), 939
Calcium metabolism in hypertensive mother, fetus, and newborn infant (Varner, Cruikshank, and Pitkin), 762
Campylobacter enteritis: prenatal and perinatal implications (Tabak, Hart, and Osborn), 845 (Comm. in brief)
Cancer(s), early ovarian, radioactivity in breast milk after intraperitoneal chromic phosphate for treatment of (Carlson et al.), 840 (Comm. in brief)
endometrial, effect of estrogen receptor status on survival in patients with (Martin et al.), 322
ovarian and cervical, logistic models for prediction of enteric morbidity in treatment of (Potish et al.), 65
mumps, menarche, and menopause (Cramer et al.), 1 (Clinical opinion)
patients, gynecologic, nutritional evaluation of, during initial diagnosis of their disease (Tunca), 893
persistent, analysis of sites of, at "second-look" laparotomy in patients with ovarian cancer (Phibbs, Smith, and Stanhope), 611
Candida albicans–induced lymphocyte proliferation, inhibition of, by lymphocytes and sera from women with recurrent vaginitis (Witkin, Yu, and Ledger), 809
Candidiasis, congenital mucocutaneous, following diagnostic amniocentesis (Delaplane et al.), 342 (Comm. in brief)
Cannula vacuum aspiration, soft, early office termination of pregnancy by (Meyer), 202
Carbon dioxide laser, use of, in management of condyloma acuminatum with eight-year follow-up (Bellina), 375
Carcinoma, adenoid cystic, of Bartholin's gland (Bernstein et al.), 385
early invasive, of vulva treated with Mohs technique of microscopically controlled surgery (Siegle, Headington, and Swanson), 459 (Comm. in brief)
endometrial, detection of postmenopausal women at risk for, by progesterone challenge test (Hanna et al.), 872
of uterine cervix, radiation potentiator in: hydroxyurea (Piver et al.), 803
Cardiac failure, fetal, intrauterine treatment of, in twin pregnancy with acardiac, acephalic monster (Simpson et al.), 842 (Comm. in brief)
Cardiovascular response to hypovolemia, contribution of β-adrenergic system to (Ushioda et al.), 423
Carpal tunnel syndrome associated with danazol therapy (Sikka et al.), 102 (Comm. in brief)
Castration and sex steroid administration, effects of: gonadotropins and gonadal steroids in androgen insensitivity (testicular feminization) syndrome (Naftolin et al.), 491
Catechol-O-methyltransferase activity in erythrocytes of pregnant women with sickle cell disease before, during, and after transfusion and partial exchange transfusion (Cunningham et al.), 573
Catecholamines, fetal scalp, during labor (Bistoletti et al.), 785
maternal, decrease during labor after lumbar epidural anesthesia (Shnider et al.), 13
Cefazolin versus moxalactam prophylaxis for vaginal hysterectomy (Hemsell et al.), 379
Cefoxitin, moxalactam, and ceftazidime kinetics, study of, in pregnancy (Giamarellou et al.), 914
Ceftazidime, cefoxitin, and moxalactam kinetics, study of, in pregnancy (Giamarellou et al.), 914
Cell(s) disease, sickle, catechol-O-methyltransferase activity in erythrocytes of pregnant women with, before, during, and after transfusion and partial exchange transfusion (Cunningham et al.), 573
in pregnancy, isovolumetric partial exchange transfusion in management of. II. Simplified ambulatory technique (Nagey et al.), 693

Cell(s)—cont'd
enzyme-linked immunosorbent assay, Raji, and polyethylene glycol precipitation methods, evaluation of: circulating immune complexes in pregnancy, preeclampsia, and autoimmune diseases (Rote and Caudle), 267
plasma, role of immunohistochemistry in detection of: chronic endometritis (Crum et al.), 812
T-, subsets in patients with preeclampsia (Sridama et al.), 566
trophoblast, in tissue culture, use of, for fetal chromosomal studies (Martinez et al.), 542
tumors, malignant ovarian germ, new serologic diagnostic method for: detection of antibodies to large glycopeptides (Higaki et al.), 974 (Comm. in brief)
Cephalopelvic disproportion at pelvic inlet, mathematical approach to problems of (Yamazaki and Uchida), 25
Cerebral palsy and mental retardation in relation to indicators of perinatal asphyxia (Paneth and Stark), 960 (Current developments)
Cerebrospinal fluid leak in neonate associated with fetal scalp electrode monitoring (Nieburg and Gross), 839 (Comm. in brief)
Cervical choriocarcinoma associated with intrauterine contraceptive device: case report (Martin, Orr, and Austin), 343 (Comm. in brief)
distention, changes in mechanical forces of, before and after rupture of membranes (Manabe and Sagawa), 667
(intra-) versus intravaginal application of prostaglandin E_2 in viscous gel for cervical priming and induction of labor at term in patients with unfavorable cervical state (Ekman et al.) 657
and ovarian cancers, logistic models for prediction of enteric morbidity in treatment of (Potish et al.), 65
Cervix, human, ripening of, with porcine ovarian relaxin (Evans et al.), 410
uterine, ripening of, related to changes in collagen, glycosaminoglycans, and collagenolytic activity (Uldbjerg et al.), 662
incompetent: words that can hurt (Fox), 462 (Comm. in brief)
uterine, radiation potentiator in carcinoma of: hydroxyurea (Piver et al.), 803
Cesarean section, acute aortic dissection during labor, resulting in fetal distress and, followed by successful surgical repair: Marfan's syndrome (Ferguson et al.), 759
elective, perinatal heart rate variability and circulatory adaptation in association with normal labor and after (Pohjavuori, Forss, and Kariniemi), 943
emergency primary, use of prophylactic antibiotics in patients undergoing (Wallace and Yonekura), 533
post–, endometritis, relationship of maternal antibody levels to (Grunebaum et al.), 919
infectious morbidity, reduction of, by means of antibiotic irrigation (Levin, Gorchels, and Andersen), 273
pain, picenadol (LY 150720) compared with meperidine and placebo for relief of: randomized double-blind study (Sherline), 404
Chemotherapy testing, in vitro, of gynecologic tumors: basis for planning therapy (Welander, Homesley, and Jobson), 188
Children, effects of maternal ethanol infusion during pregnancy on growth and development of, at four to seven years of age (Sisenwein et al.), 52
Chorioamnionitis, course of labor in term patients with (Duff, Sanders, and Gibbs), 391
role of C-reactive protein in prediction of: premature rupture of membranes (Hawrylyshyn et al.), 240
Choriocarcinoma, cervical, associated with intrauterine contraceptive device: case report (Martin, Orr, and Austin), 343 (Comm. in brief)
Chorion-decidua, prolactin secretion by, in vitro: influences of mode of delivery and agents that modify prostaglandin synthesis (Krug et al.), 38
laeve and amnion, arachidonic acid content of, in diamnionic-dichorionic twin placentas: source of prostaglandin precursor in human fetal membranes (Okita, Johnston, and MacDonald), 477
Chorionic gonadotropin, human, –induced ornithine decarboxylase activity and ovulation, ibuprofen modulation of, in rabbit ovary (Bieniarz et al.), 327
monoclonal versus polyclonal antibody radioimmunoassay against β-subunit of, in patients with gestational trophoblastic neoplasia (Wu, Ballon, and Teng), 821
regression, human, following conservative surgical management of tubal pregnancy (Holtz), 347 (Comm. in brief)
somatomammotropin deficiency, plasma human, in normal pregnancy is consequence of low concentration of messenger RNA coding for human chorionic somatomammotropin (Hubert et al.), 676
Chromic phosphate, intraperitoneal, for treatment of early ovarian cancer, radioactivity in breast milk after (Carlson et al.), 840 (Comm. in brief)
Chromosomal studies, fetal, use of trophoblast cells in tissue culture for (Martinez et al.), 542
Circulation, umbilical, and fetal heart rate, influence of β-adrenergic activity on, during hypoxia in fetal sheep (Parer), 592
Circulatory adaptation and perinatal heart rate variability in association with normal labor and after elective cesarean section (Pohjavuori, Forss, and Kariniemi), 943
Clinical opinion, 1-6
Clitoral (peri-) abscess, recurrent, treated by marsupialization (Sur), 340 (Comm. in brief)
Clomiphene citrate, in vivo and in vitro effects of, on ovulation, fertilization, and development of cultured mouse oocytes (Laufer et al.), 633
Coagulopathy and induced abortion methods: rates and relative risks (Kafrissen et al.), 344 (Comm. in brief)
Collagen, glycosaminoglycans, and collagenolytic activity, ripening of human uterine cervix related to changes in (Uldbjerg et al.), 662
Collagenolytic activity, collagen, and glycosaminoglycans, ripening of human uterine cervix related to changes in (Uldbjerg et al.), 662
Communications in brief, 102-111, 339-348, 458-468, 717-727, 837-847, 967-976
Condyloma acuminatum, use of carbon dioxide laser in management of, with eight-year follow-up (Bellina), 375
Congenital adrenal hyperplasia, virilizing, with normal dehydroepiandrosterone sulfate (Check and Krotec), 972 (Comm. in brief)
anomalies among infants of diabetic mothers (Cousins), 333 (Current developments)
malformations in offspring and contraceptive usage, lack of association between (Linn et al.), 923
mucocutaneous candidiasis following diagnostic amniocentesis (Delaplane et al.), 342 (Comm. in brief)
Consultants for the American Journal of Obstetrics and Gynecology, 857
Contraception, intrauterine, five years' experience of, with Nova-T and Copper-T-200 (Luukkainen et al.), 885
Contraceptives(s) device, intrauterine, cervical choriocarcinoma associated with: case report (Martin, Orr, and Austin), 343 (Comm. in brief)
information, adolescents' preference of source to obtain (van den Berg and Parry), 719 (Comm. in brief)
oral, effect of, on plasma glucose, insulin, and glucagon levels (Gossain et al.), 618
system, improved injectable microcapsule, clinical evaluation of (Beck et al.), 815
usage and congenital malformations in offspring, lack of association between (Linn et al.), 923
Contractions, unconscious abdominal, urinary incontinence due to (Fantl, Hurt, and Dunn), 137
Copper-T-200 and Nova-T, five years' experience of intrauterine contraception with (Luukkainen et al.), 885
Correction, 111
Correspondence, 225-229, 349-356, 469-475, 728-734, 848-854, 977-983
Cortical blindness as initial symptom in severe preeclampsia (Goodlin et al.), 841 (Comm. in brief)
Cranial perimeter, intrauterine and extrauterine growth of, in term and preterm infants (Fescina and Martell), 928
Craniopharyngioma, hyperprolactinemic amenorrhea in woman with: persisting amenorrhea after prolactin suppression with bromocriptine (Brandeis, Kemmann, and Jones), 109 (Comm. in brief)
Creatine phosphokinase-2, abnormal fetal heart rate patterns and percentage of (Woolley, Peevy, and Mendenhall), 701
Crohn's disease, surgical management of rectovaginal fistulas in (Bandy, Addison, and Parker), 359
Culture, tissue, use of trophoblast cells in, for fetal chromosomal studies (Martinez et al.), 542
Cultured mouse oocytes, in vivo and in vitro effects of clomiphene citrate on ovulation, fertilization, and development of (Laufer et al.), 633
Current developments, 90-101, 208-224, 333-338, 703-716, 960-966
Cystic carcinoma, adenoid, of Bartholin's gland (Bernstein et al.), 385
Cytoplasmic and nuclear estrogen binding capacity in uterus, influence of danazol on (Sanfilippo et al.), 364
Cytosol of human uterine artery, progesterone and estradiol receptors in (Lantta, Kärkkäinen, and Lehtovirta), 627
Cytotoxic antibodies, occurrence and characterization of different types of, in pregnant women in relation to parity and gestational age (Koenig and Müller), 671

D

Danazol, influence of, on cytoplasmic and nuclear estrogen binding capacity in uterus (Sanfilippo et al.), 364
therapy, carpal tunnel syndrome associated with (Sikka et al.), 102 (Comm. in brief)
Death(s), fetal, preventable cause of: recurrent maternal floor infarction (Clewll and Manchester), 346 (Comm. in brief)
intrauterine, and growth retardation, progressive partial lipodystrophy in association with (Haxton), 837 (Comm. in brief)
maternal, listeriosis as cause of: obstetric complication of acquired immunodeficiency syndrome (AIDS) (Wetli, Roldan, and Fojaco), 7
neonatal, in Alabama. III. Out-of-hospital births, 1940-1980 (Goldenberg et al.), 687
Deceleration, variable, heart rate and blood pressure responses to umbilical cord compression in fetal lambs with special reference to mechanism of (Itskovitz, LaGamma, and Rudolph), 451
Decidua-chorion, human, prolactin secretion by, in vitro: influences of mode of delivery and agents that modify prostaglandin synthesis (Krug et al.), 38
Deferoxamine, successful therapy with: iron overdose during pregnancy (Rayburn, Donn, and Wulf), 717 (Comm. in brief)
Dehydroepiandrosterone sulfate, normal, virilizing congenital adrenal hyperplasia with (Check and Krotec), 972 (Comm. in brief)
Deiodination, inner ring, of thyroxine and 3,5,3′-triiodothyronine by human fetal membranes (Roti et al.), 788
Delivery, mode of, and agents that modify prostaglandin synthesis, influences of: prolactin secretion by human chorion-decidua in vitro (Krug et al.), 38
Deoxycorticosterone, deoxycorticosterone sulfate, and progesterone, human fetal plasma, ontogeny of (Parker et al.), 955
production, extra-adrenal, in hypoestrogenic pregnancies: serum concentrations of progesterone and deoxycorticosterone in anencephalic fetuses and in women pregnant with anencephalic fetus (Parker et al.), 415
Deoxycortisol, 11-, plasma, in normal and abnormal human pregnancy (Kuwabara et al.), 766
Dextran, intravenous saline solution and, fetal blood volume responses to (Brace), 777
Diabetic mothers, congenital anomalies among infants of (Cousins), 333 (Current developments)
patient, pregnant, effect of plasma glucose variability on neonatal outcome in (Artal et al.), 537
pregnancies, one hundred seven, clinical experience with (Lavin et al.), 742
reappraisal of "tight control" in (Miller), 158
women, insulin-dependent, reduced short-term variability of fetal heart rate in association with maternal hyperglycemia during pregnancy in (Kariniemi et al.), 793
Diamnionic-dichorionic twin placentas, arachidonic acid content of amnion and chorion laeve in: source of prostaglandin precursor in human fetal membranes (Okita, Johnston, and MacDonald), 477
Dietary protein and preeclampsia (Zlatnik and Burmeister), 345 (Comm. in brief)
Disease(s), acute pelvic inflammatory, after hysterosalpingography, prevention of: efficacy of doxycycline prophylaxis (Pittaway et al.), 623
autoimmune, pregnancy, and preeclampsia, circulating immune complexes in: evaluation of Raji cell enzyme-linked immunosorbent assay and polyethylene glycol precipitation methods (Rote and Caudle), 267
benign and malignant breast, thermobiological assessment of (Gautherie), 861
Crohn's, surgical management of rectovaginal fistulas in (Bandy, Addison, and Parker), 359
sickle cell, catechol-O-methyltransferase activity in erythrocytes of pregnant women with, before, during, and after transfusion and partial exchange transfusion (Cunningham et al.), 573
in pregnancy, isovolumetric partial exchange transfusion in management of. II. Simplified ambulatory technique (Nagey et al.), 693
their, nutritional evaluation of gynecologic cancer patients during initial diagnosis of (Tunca), 893
Dissection, acute aortic, during labor, resulting in fetal distress and cesarean section, followed by successful surgical repair: Marfan's syndrome (Ferguson et al.), 759
Distention, cervical, changes in mechanical forces of, before and after rupture of membranes (Manabe and Sagawa), 667
Doxycycline prophylaxis, efficacy of: prevention of acute pelvic inflammatory disease after hysterosalpingography (Pittaway et al.), 623
Drugs, beta-adrenergic, transplacental transfer of, studied by in vitro perfusion method of isolated human placental lobule (Sodha and Schneider), 303
Dysplasia, arteriohepatic, in pregnancy (Romero et al.), 108 (Comm. in brief)

E

Ebstein's anomaly with pulmonary atresia, prenatal echocardiographic diagnosis of (Sharf et al.), 300
Echocardiographic diagnosis, prenatal, of Ebstein's anomaly with pulmonary atresia (Sharf et al.), 300
Echography, continuous real-time, amniocentesis with use of: experience with two hundred consecutive cases (Defoort and Thiery), 973 (Comm. in brief)
Electrocardiogram, direct, and ultrasound (with autocorrelation) fetal heart rate detector systems, comparison of (Lawson et al.), 721 (Comm. in brief)
Electrocardiographic responses of rat fetuses with clamped or intact umbilical cords to acute maternal uterine ischemia (Robinson, Kavlock, and Watkinson), 795
Electrode, influence of external pressure on, or on skin: transcutaneous scalp Po_2 measurements in fetal sheep (Jansen and Nathanielsz), 508
monitoring, fetal scalp, cerebrospinal fluid leak in neonate associated with (Nieburg and Gross), 839 (Comm. in brief)
Embryo transfer, human in vitro fertilization and, modified technique of (Marrs et al.), 183
Endocrinologic events in early pregnancy failure (Aspillaga et al.), 903
Endocrinopathy, common, with distinct pathophysiologic features: hyperandrogenism, insulin resistance, and acanthosis nigricans syndrome (Barbieri and Ryan), 90 (Current developments)
Endometrial adenocarcinoma and Stein-Leventhal syndrome (Tsoutsoplides), 844 (Comm. in brief)
cancer, effect of estrogen receptor status on survival in patients with (Martin et al.), 322
carcinoma, detection of postmenopausal women at risk for, by progesterone challenge test (Hanna et al.), 872
Endometriosis, prostanoid content in peritoneal fluid and plasma of women with (Sgarlata, Hertelendy, and Mikhail), 563
Endometritis, chronic: role of immunohistochemistry in detection of plasma cells (Crum et al.), 812
post–cesarean section, relationship of maternal antibody levels to (Grunebaum et al.), 919
Endorphin, β-, levels, maternal and umbilical venous immunoreactive, during labor with and without epidural analgesia (Jouppila et al.), 799
Energy intake, aerobic fitness, and body composition, longitudinal study of changes in, in primigravid patients (Dibblee and Graham), 908
Enteric morbidity, logistic models for prediction of, in treatment of ovarian and cervical cancers (Potish et al.), 65
Enteritis, *Campylobacter:* prenatal and perinatal implications (Tabak, Hart, and Osborn), 845 (Comm. in brief)
Enzyme-linked immunosorbent assay, Raji cell, and polyethylene glycol precipitation methods, evaluation of: circulating immune complexes in pregnancy, preeclampsia, and autoimmune diseases (Rote and Caudle), 267
Epidermal growth factor receptors in human placenta, ontogenesis and characteristics of (Carson et al.), 932
Epidural analgesia, maternal and umbilical venous plasma immunoreactive β-endorphin levels during labor with and without (Jouppila et al.), 799
anesthesia, lumbar, maternal catecholamines decrease during labor after (Schnider et al.), 13
Epinephrine and norepinephrine, circulating, subhourly variability of, in pregnant ewe and fetal and newborn lamb (Jones et al.), 121
Erratum, 983
Erythrocyte(s) aggregation during normal pregnancy (Ozanne et al.), 576
of pregnant women with sickle cell disease, catechol-O-methyltransferase activity in, before, during, and after transfusion and partial exchange transfusion (Cunningham et al.), 573
Estradiol and progesterone receptors in cytosol of human uterine artery (Lantta, Kärkkäinen, and Lehtovirta), 627
in saliva and plasma during menstrual cycle (Choe, Khan-Dawood, and Dawood), 557
17β-, oral and parenteral, differential lipemic and hormonal responses to, in postmenopausal women (Basdevant, De Lignieres, and Guy-Grand), 77

Estrogen(s) binding capacity, cytoplasmic and nuclear, in uterus, influence of danazol on (Sanfilippo et al.), 364
and progesterone, plasma, in quintuplet pregnancy induced with menotropins (Muechler and Huang), 105 (Comm. in brief)
receptor status, effect of, on survival in patients with endometrial cancer (Martin et al.), 322
urinary, serum human placental lactogen, and pregnancy-specific β_1-glycoprotein, and their relationship to placental insufficiency: prospective study of three biochemical fetoplacental tests (MacDonald et al.), 430
Estrogenic (hypo-) pregnancies, extra-adrenal deoxycorticosterone production in: serum concentrations of progesterone and deoxycorticosterone in anencephalic fetuses and in women pregnant with anencephalic fetus (Parker et al.), 415
Ethanol infusion, maternal, during pregnancy, effects of, on growth and development of children at four to seven years of age (Sisenwein et al.), 52
Exercise in pregnancy. II. Fetal responses (Platt et al.), 487
Extramembranous pregnancy and extrachorial placenta, possible iatrogenic origin of: pressure malformations from chronic leakage of amniotic fluid (Davies and Lomeli), 838 (Comm. in brief)
Extrauterine and intrauterine growth of cranial perimeter in term and preterm infants (Fescina and Martell), 928

F

Fallopian tube, effect of lengthening, on fertility in rabbit (Bateman, Eddy, and Kitchin), 569
macaque, periovulatory glycoprotein secretion in (Jansen and Bajpai), 598
Feminization syndrome, testicular (androgen insensitivity), gonadotropins and gonadal steroids in: effects of castration and sex steroid administration (Naftolin et al.), 491
Fertility, effect of lengthening fallopian tube on, in rabbit (Bateman, Eddy, and Kitchin), 569
subsequent, association of birth outcome with (Bjerkedal and Erickson), 399
Fertilization, human in vitro, and embryo transfer, modified technique of (Marrs et al.) 318
ovulation, and development of cultured mouse oocytes, in vivo and in vitro effects of clomiphene citrate on (Laufer et al.), 633
Fetal blood lactate measurements, intrapartum, use of, for early diagnosis of fetal distress (Eguiluz et al.) 949
volume responses to intravenous saline solution and dextran (Brace), 777
breathing, human, ultrasonic measurement of rate and depth of: effect of glucose (Adamson et al.), 288
cardiac failure, intrauterine treatment of, in twin pregnancy with acardiac, acephalic monster (Simpson et al.), 842 (Comm. in brief)
chromosomal studies, use of trophoblast cells in tissue culture for (Martinez et al.), 542
death, preventable cause of: recurrent maternal floor infarction (Clewell and Manchester), 346 (Comm. in brief)
distress and cesarean section, acute aortic dissection during labor, resulting in, followed by successful surgical repair: Marfan's syndrome (Ferguson et al.), 759
heart, changes in systolic time intervals of, after surgical manipulation of fetus (De Muylder et al.), 285
rate detector system, ultrasound (with autocorrelation) and direct electrocardiogram, comparison of (Lawson et al.), 721 (Comm. in brief)
monitoring (Amato), 967 (Comm. in brief)
patterns, abnormal, and percentage of creatine phosphokinase-2 (Woolley, Peevy, and Mendenhall), 701
reduced short-term variability of, in association with maternal hyperglycemia during pregnancy in insulin-dependent diabetic women (Kariniemi et al.), 793
and umbilical circulation, influence of β-adrenergic activity on, during hypoxia in fetal sheep (Parer), 592
variability, effects of amniotomy on, during labor (Kariniemi), 975 (Comm. in brief)
hydrocephalus, diagnosis of (Chervenak et al.), 703 (Current developments)
hydronephrosis, bilateral, furosemide (Lasix) challenge test in assessing (Barrett, Rayburn, and Barr), 846 (Comm. in brief)
kidney as source of amniotic fluid prostanoids: origin of prostanoids in human amniotic fluid (Casey, Cutrer, and Mitchell), 547
lambs, heart rate and blood pressure responses to umbilical cord compression in, with special reference to mechanism of variable deceleration (Itskovitz, LaGamma, and Rudolph), 451
Fetal—cont'd
malformations, correctable, importance of antenatal ultrasonographic diagnosis of (Sarda et al.), 443
ultrasound in diagnosis of (Horger and Pai), 163
and maternal plasma oxytocin levels during pregnancy and parturition in sheep (Dawood et al.), 584
membranes, human, inner ring deiodination of thyroxine and 3,5,3′-triiodothyronine by (Roti et al.), 788
source of prostaglandin precursor in: arachidonic acid content of amnion and chorion laeve in diamnionic-dichorionic twin placentas (Okita, Johnston, and MacDonald), 477
and newborn lamb and pregnant ewe, subhourly variability of circulating norepinephrine and epinephrine in (Jones et al.), 121
outcome, subsequent, ultrasonically detected incidence and: oligohydramnios (Hill et al.), 407
and placental blood flow, effect of caffeine on, in human pregnancy (Kirkinen et al.), 939
plasma progesterone, deoxycorticosterone, and deoxycorticosterone sulfate, human, ontogeny of (Parker et al.), 955
polycythemia and hyperviscosity: effect on umbilical blood flow and fetal oxygen consumption (Tenenbaum et al.), 48
rabbits, pulmonary surfactant release in: immediate and delayed response to terbutaline (Ekelund, Burgoyne, and Enhorning), 437
responses, II. Exercise in pregnancy (Platt et al.), 487
scalp catecholamines during labor (Bistoletti et al.), 785
electrode monitoring, cerebrospinal fluid leak in neonate associated with (Nieburg and Gross), 839 (Comm. in brief)
sheep, transcutaneous scalp Po_2 measurements in: influence of external pressure on electrode or on skin (Jansen and Nathanielsz), 508
surgeon, cautionary note for: transient perinatal urinary retention (Farkas, Eidelman, and Gale), 461 (Comm. in brief)
weight prediction, ultrasonic, accuracy of, in preterm infants (Eden et al.), 43
Fetoplacental tests, three biochemical, prospective study of: serum human placental lactogen, pregnancy-specific β_1-glycoprotein, and urinary estrogens, and their relationship to placental insufficiency (MacDonald et al.), 430
Fetus(es), anencephalic, serum concentrations of progesterone and deoxycorticosterone in, and in women pregnant with anencephalic fetus: extra-adrenal deoxycorticosterone production in hypoestrogenic pregnancies (Parker et al.), 415
changes in systolic time intervals of fetal heart after surgical manipulation of (De Muylder et al.), 285
newborn infant, and hypertensive mother, calcium metabolism in (Varner, Cruikshank, and Pitkin), 762
rat, with clamped or intact umbilical cords, electrocardiographic responses of, to acute maternal uterine ischemia (Robinson, Kavlock, and Watkinson), 795
Fistulas, rectovaginal, surgical management of, in Crohn's disease (Bandy, Addison, and Parker), 359
Foreskin, human, androgen receptor in. II. Characterization of receptor from hypospadiac tissue (Coulam et al.), 513
Furosemide (Lasix) challenge test in assessing bilateral fetal hydronephrosis (Barrett, Rayburn, and Barr, 846 (Comm. in brief)

G

Gastrointestinal atresias, upper, amniotic fluid acetylcholinesterase as prenatal diagnostic marker for (Holzgreve and Golbus), 837 (Comm. in brief)
Genital tract, female, vasoactive intestinal polypeptide as neurotransmitter in (Ottesen), 208 (Current developments)
Georgia, impact of publicly funded perinatal care programs on neonatal outcome, 1976-1978 (Spitz et al.), 295
Germ cell tumors, malignant ovarian, new serologic diagnostic method for: detection of antibodies to large glycopeptides (Higaki et al.), 974 (Comm. in brief)
Gestation, twin, placental injection studies in (Robertson and Neer), 170
Gestational age and parity, occurrence and characterization of different types of cytotoxic antibodies in pregnant women in relation to (Koenig and Müller), 671
trophoblastic neoplasia, monoclonal versus polyclonal antibody radioimmunoassay against β-subunit of human chorionic gonadotropin in patients with (Wu, Ballon, and Teng), 821
Gland, Bartholin's, adenoid cystic carcinoma of (Bernstein et al.), 385
Glucagon, glucose, and insulin levels, plasma, effect of oral contraceptives on (Gossain et al.), 618
Glucose, insulin, and glucagon levels, plasma, effect of oral contraceptives on (Gossain et al.), 618
variability, plasma, effect of, on neonatal outcome in pregnant diabetic patient (Artal et al.), 537

Glutamyl, γ-, transferase, serum, evaluation of, as screening method for excessive alcohol consumption during pregnancy (Larsson et al.), 654
Glycopeptides, large, detection of antibodies to: new serologic diagnostic method for malignant ovarian germ cell tumors (Higaki et al.), 974 (Comm. in brief)
Glycoprotein, β_1-, pregnancy-specific, identification of high-risk pregnancy by routine measurement of (Grudzinskas et al.), 10
urinary estrogens, and serum human placental lactogen, and their relationship to placental insufficiency: prospective study of three biochemical fetoplacental tests (MacDonald et al.), 430
secretion, periovulatory, in macaque fallopian tube (Jansen and Bajpai), 598
Glycosaminoglycans, collagenolytic activity, and collagen, ripening of human uterine cervix related to changes in (Uldbjerg et al.), 662
Gonadal steroids and gonadotropins in androgen insensitivity (testicular feminization) syndrome: effects of castration and sex steroid administration (Naftolin et al.), 491
Gonadoblastoma: structures and background of development (Kedzia), 81
Gonadotropin(s) and gonadal steroids in androgen insensitivity (testicular feminization) syndrome: effects of castration and sex steroid administration (Naftolin et al.), 491
human chorionic, –induced ornithine decarboxylase activity and ovulation, ibuprofen modulation of, in rabbit ovary (Bieniarz et al.), 327
monoclonal versus polyclonal antibody radioimmunoassay against β-subunit of, in patients with gestational trophoblastic neoplasia (Wu, Ballon, and Teng), 821
regression, human chorionic, following conservative surgical management of tubal pregnancy (Holtz), 347 (Comm. in brief)
Gonococcal ventriculitis associated with ventriculoamniotic shunt placement (Bland et al.), 781
Gravid uterus, early spontaneous rupture of (Iddenden and Nuttall), 971 (Comm. in brief)
Growth and development of children at four to seven years of age, effects of maternal ethanol infusion during pregnancy on (Sisenwein et al.), 52
factor receptors, epidermal, in human placenta, ontogenesis and characteristics of (Carson et al.), 932
intrauterine and extrauterine, of cranial perimeter in term and preterm infants (Fescina and Martell), 928
retardation and intrauterine death, progressive partial lipodystrophy in association with (Haxton), 837 (Comm. in brief)
Gynecologic cancer patients, nutritional evaluation of, during initial diagnosis of their disease (Tunca), 893
malignancy, anticoagulation therapy for venous thromboembolism in patients with (Clarke-Pearson, Synan, and Creasman), 369
tumors, in vitro chemotherapy testing of: basis for planning therapy (Welander, Homesley, and Jobson), 188
Gynecologist-obstetricians, is there surplus of (Pearse), 133
Gynecology and obstetrics, use of National Board test questions to evaluate student performance in (Herbert, McGaghie, and Forsythe), 73

H

Heart, fetal, changes in systolic time intervals of, after surgical manipulation of fetus (De Muylder et al.), 285
rate and blood pressure responses to umbilical cord compression in fetal lambs with special reference to mechanism of variable deceleration (Itskovitz, LaGamma, and Rudolph), 451
detector systems, fetal, ultrasound (with autocorrelation) and direct electrocardiogram, comparison of (Lawson et al.), 721 (Comm. in brief)
fetal, reduced short-term variability of, in association with maternal hyperglycemia during pregnancy in insulin-dependent diabetic women (Kariniemi et al.), 793
and umbilical circulation, influence of β-adrenergic activity on, during hypoxia in fetal sheep (Parer), 592
monitoring, fetal (Amato), 967 (Comm. in brief)
patterns, abnormal fetal, and percentage of creatine phosphokinase-2 (Woolley, Peevy, and Mendenhall), 701
variability, fetal, effects of amniotomy on, during labor (Kariniemi), 975 (Comm. in brief)
perinatal, and circulatory adaptation in association with normal labor and after elective cesarean section (Pohjavuori, Forss, and Kariniemi), 943
Hemoglobin A_{1c} concentrations, biphasic changes in, during normal human pregnancy (Phelps et al.), 651
Hemorrhage, pelvic, surgical control of: method of bilateral ovarian artery ligation (Cruikshank and Stoelk), 724 (Comm. in brief)
Heterogeneity, prolactin molecular (Shoupe et al.). 482
Hexachlorophene, vaginal absorption of, during labor (Strickland et al.), 769
Hirsutism, idiopathic, evidence for adrenal and/or ovarian dysfunction as possible etiology of (Bouallouche et al.), 57
Hormonal and lipemic responses, differential, to oral and parenteral 17β-estradiol in postmenopausal women (Basdevant, De Lignieres, and Guy-Grand), 77
Hormone, luteinizing, –releasing hormone analogue, pituitary desensitization by: conservative approach to management of uterine leiomyoma (Filicori et al.), 726 (Comm. in brief)
Hospital, out-of-, births, 1940-1980, III. Neonatal deaths in Alabama (Goldenberg et al.), 687
Human chorionic gonadotropin–induced ornithine decarboxylase activity and ovulation, ibuprofen modulation of, in rabbit ovary (Bieniarz et al.), 327
monoclonal versus polyclonal antibody radioimmunassay against β-subunit of, in patient with gestational trophoblastic neoplasia (Wu, Ballon, and Teng), 821
regression following conservative surgical management of tubal pregnancy (Holtz), 347 (Comm. in brief)
somatomammotropin deficiency, plasma, in normal pregnancy is consequence of low concentration of messenger RNA coding for human chorionic somatomammotropin (Hubert et al.), 676
placental lactogen, serum, pregnancy-specific β_1-glycoprotein, and urinary estrogens, and their relationship to placental insufficiency: prospective study of three biochemical fetoplacental tests (MacDonald et al.), 430
Hydration and sedation in pretherapy of premature labor, follow-up of (Valenzuela, Cline, and Hayashi), 396
Hydrocephalus, fetal, diagnosis of (Chervenak et al.), 703 (Current developments)
Hydronephrosis, bilateral fetal, furosemide (Lasix) challenge test in assessing (Barrett, Rayburn, and Barr), 846 (Comm. in brief)
Hydroxyurea: radiation potentiator in carcinoma of uterine cervix (Piver et al.), 803
Hyperandrogenism, insulin resistance, and acanthosis nigricans syndrome: common endocrinopathy with distinct pathophysiologic features (Barbieri and Ryan), 90 (Current developments)
Hyperglycemia, maternal, reduced short-term variability of fetal heart rate in association with, during pregnancy in insulin-dependent diabetic women (Kariniemi et al.), 793
Hyperplasia, virilizing congenital adrenal, with normal dehydroepiandrosterone sulfate (Check and Krotec), 972 (Comm. in brief)
Hyperprolactinemia and normal or abnormal tomograms, management of patients with (Kletzky, Marrs, and Davajan), 528
Hyperprolactinemic amenorrhea in woman with craniopharyngioma: persisting amenorrhea after prolactin suppression with bromocriptine (Brandeis, Kemmann, and Jones), 109 (Comm. in brief)
Hypertension, mild pregnancy-induced, plasma volume findings in patients with (Sibai et al.), 16
severe pregnancy-induced, serial nephelometric urinary protein profile as index of renal involvement in: case report (Eden et al.), 106 (Comm. in brief)
Hypertensive disorders of pregnancy, nephelometric urinary protein profile as index of renal involvement in (Eden et al.), 645
mother, fetus, and newborn infant, calcium metabolism in (Varner, Cruikshank, and Pitkin), 762
Hypertonic saline, effect of, on vascular responses to angiotensin II in pregnancy (Matsuura et al.), 231
Hyperviscosity, fetal polycythemia and: effect on umbilical blood flow and fetal oxygen consumption (Tenenbaum et al.), 48
Hypospadiac tissue, characterization of receptor from, II. Androgen receptor in human foreskin (Coulam et al.), 513
Hypotensive technique, deliberate, for decreasing blood loss during radical hysterectomy and pelvic lymphadenectomy (Powell et al.), 196
Hypovolemia, contribution of β-adrenergic system to cardiovascular response to (Ushioda et al.), 423
Hypoxia, influence of β-adrenergic activity on fetal heart rate and umbilical circulation during, in fetal sheep (Parer), 592
Hysterectomy, elective abdominal, prevention of major infection after: individual determination required (Hemsell et al.), 520
radical, and pelvic lymphadenectomy, deliberate hypotensive technique for decreasing blood loss during (Powell et al.), 196

Hysterectomy—cont'd
repair of vaginal prolapse after (Thornton and Peters), 140
vaginal, moxalactam versus cefazolin prophylaxis for (Hemsell et al.), 379
Hysterosalpingography, prevention of acute pelvic inflammatory disease after: efficacy of doxycycline prophylaxis (Pittaway et al.), 623

I

Iatrogenic origin, possible, of extramembranous pregnancy and extrachorial placenta: pressure malformations from chronic leakage of amniotic fluid (Davies and Lomeli), 838 (Comm. in brief)
Ibuprofen modulation of human chorionic gonadotropin–induced ornithine decarboxylase activity and ovulation in rabbit ovary (Bieniarz et al.), 327
Immune complexes, circulating, in pregnancy, preeclampsia, and autoimmune diseases: evaluation of Raji cell enzyme-linked immunosorbent assay and polyethylene glycol precipitation methods (Rote and Caudle), 267
Immunodeficiency syndrome, acquired (AIDS), obstetric complication of: listeriosis as cause of maternal death (Wetli, Roldan, and Fojaco), 7
Immunohistochemistry, role of, in detection of plasma cells: chronic endometritis (Crum et al.), 812
Immunoreactive β-endorphin levels, maternal and umbilical venous, during labor with and without epidural analgesia (Jouppila et al.), 799
Immunosorbent assay, Raji cell enzyme-linked, and polyethylene glycol precipitation methods, evaluation of: circulating immune complexes in pregnancy, preeclampsia, and autoimmune diseases (Rote and Caudle), 267
Incarcerated bowel, intrauterine, following uterine perforation during abortion: case report (Dunner et al.), 969 (Comm. in brief)
Incompetent cervix: words that can hurt (Fox), 462 (Comm. in brief)
Incontinence, stress urinary, urodynamic changes after successful operation for (Bergman and McCarthy), 325
effects of vaginal pessary in women with (Bhatia, Bergman, and Gunning), 876
urinary, due to unconscious abdominal contractions (Fantl, Hurt, and Dunn), 137
Infant(s) of diabetic mothers, congenital anomalies among (Cousins), 333 (Current developments)
newborn, hypertensive mother, and fetus, calcium metabolism in (Varner, Cruikshank, and Pitkin), 762
preterm, accuracy of ultrasonic fetal weight prediction in (Eden et al.), 43
term and preterm, intrauterine and extrauterine growth of cranial perimeter in (Fescina and Martell), 928
Infarction, recurrent maternal floor: preventable cause of fetal death (Clewell and Manchester), 346 (Comm. in brief)
Infection, intra-amniotic, inhibition of group B streptococci by amniotic fluid from patients with, and from control subjects (Blanco, Gibbs, and Krebs), 247
major, after elective abdominal hysterectomy, prevention of: individual determination required (Hemsell et al.), 520
Infectious morbidity, post–cesarean section, reduction of, by means of antibiotic irrigation (Levin, Gorchels, and Andersen), 273
Infertility, single-factor, multifactorial, and unexplained, incidence and outcome of (Verkauf), 175
unexplained, peritoneal fluid prostanoids in (Drake, O'Brien, and Ramwell), 63
Infusion, maternal ethanol, during pregnancy, effects of, on growth and development of children at four to seven years of age (Sisenwein et al.), 52
ritodrine hydrochloride, in pregnant baboons. II. Sodium and water compartment alterations (Hankins et al.), 254
Injectable microcapsule contraceptive system, improved, clinical evaluation of (Beck et al.), 815
Insulin-dependent diabetic women, reduced short-term variability of fetal heart rate in association with maternal hyperglycemia during pregnancy in (Kariniemi et al.), 793
glucagon, and glucose levels, plasma, effect of oral contraceptives on (Gossain et al.), 618
resistance, hyperandrogenism, and acanthosis nigricans syndrome: common endocrinopathy with distinct pathophysiologic features (Barbieri and Ryan), 90 (Current developments)
Intestinal polypeptide, vasoactive, as neurotransmitter in female genital tract (Ottesen), 208 (Current developments)
Intrapartum fetal blood lactate measurements, use of, for early diagnosis of fetal distress (Eguiluz et al.), 949
Intraperitoneal chromic phosphate for treatment of early ovarian cancer, radioactivity in breast milk after (Carlson et al.), 840 (Comm. in brief)
Intrauterine contraception, five years' experience of, with Nova-T and Copper-T-200 (Luukkainen et al.), 885
death and growth retardation, progressive partial lipodystrophy in association with (Haxton), 837 (Comm. in brief)
and extrauterine growth of cranial perimeter in term and preterm infants (Fescina and Martell), 928
incarcerated bowel following uterine perforation during abortion: case report (Dunner et al.), 969 (Comm. in brief)
treatment of fetal cardiac failure in twin pregnancy with acardiac, acephalic monster (Simpson et al.), 842 (Comm. in brief)
urethral obstruction, early, natural course of (Korenromp et al.), 465 (Comm. in brief)
Intravaginal administration of ^{3}H–miconazole nitrate, disposition of radioactivity following (Abrams and Weintraub), 970 (Comm. in brief)
Intravenous saline solution and dextran, fetal blood volume responses to (Brace), 777
terbutaline and simultaneous β_1-blockade for advanced premature labor (Ross et al.), 897
Invasive carcinoma, early, of vulva treated with Mohs technique of microscopically controlled surgery (Siegle, Headington, and Swanson), 459 (Comm. in brief)
Iron overdose during pregnancy: successful therapy with deferoxamine (Rayburn, Donn, and Wulf), 717 (Comm. in brief)
Irrigation, antibiotic, reduction of post–cesarean section infectious morbidity by means of (Levin, Gorchels, and Andersen), 273
Ischemia, acute maternal uterine, electrocardiographic responses of rat fetuses with clamped or intact umbilical cords to (Robinson, Kavlock, and Watkinson), 795
Isovolumetric partial exchange transfusion in management of sickle cell disease in pregnancy. II. Simplified ambulatory technique (Nagey et al.), 693
Items, 113-114, 230, 357-358, 476, 609-610, 736, 855-856, 984

K

Kidney, fetal, as source of amniotic fluid prostanoids: origin of prostanoids in human amniotic fluid (Casey, Cutrer, and Mitchell), 547

L

Labor, acute aortic dissection during, resulting in fetal distress and cesarean section followed by successful surgical repair: Marfan's syndrome (Ferguson et al.), 759
advanced premature, intravenous terbutaline and simultaneous β_1-blockade for (Ross et al.), 897
course of, in term patients with chorioamnionitis (Duff, Sanders, and Gibbs), 391
effects of amniotomy on fetal heart rate variability during (Kariniemi), 975 (Comm. in brief)
fetal scalp catecholamines during (Bistoletti et al.), 785
induction of, intravaginal versus intracervical application of prostaglandin E_2 in viscous gel for cervical priming and, at term in patients with unfavorable cervical state (Ekman et al.), 657
maternal catecholamines decrease during, after lumbar epidural anesthesia (Shnider et al.), 13
and umbilical venous plasma immunoreactive β-endorphin levels during, with and without epidural analgesia (Jouppila et al.), 799
normal, perinatal heart rate variability and circulatory adaptation in association with, and after elective cesarean section (Pohjavuori, Forss, and Kariniemi), 943
plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ during induction of, by artificial rupture of membranes, IV. Oxytocin and initiation of human parturition (Husslein et al.), 503
premature, follow-up of hydration and sedation in pretherapy of (Valenzuela, Cline, and Hayashi), 396
preterm, pharmacodynamics of ritodrine in pregnant women during (Caritis et al.), 752
spontaneous, and labor induced by amniotomy, prostaglandin $F_{2\alpha}$, and prostaglandin E_2, comparison of plasma oxytocin levels during (Nagata et al.), 259
and oxytocin-induced, at term, plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in, III. Oxytocin and initiation of human parturition (Fuchs et al.), 497
spurt release of oxytocin during surgical induction of, in women (Chard and Gibbens), 678
vaginal absorption of hexachlorophene during (Strickland et al.), 769
Lactate measurements, intrapartum fetal blood, use of, for early diagnosis of fetal distress (Eguiluz et al.), 949

Lactogen, serum human placental, pregnancy-specific β_1-glycoprotein, and urinary estrogens, and their relationship to placental insufficiency: prospective study of three biochemical feto-placental tests (MacDonald et al.), 430
Laparoscopy, new uterine manipulator for use at (Scott), 458 (Comm. in brief)
Laparotomy, "second-look," analysis of sites of persistent cancer at, in patients with ovarian cancer (Phibbs, Smith, and Stanhope), 611
Laser, carbon dioxide, use of, in management of condyloma acuminatum with eight-year follow-up (Bellina), 375
Lasix (furosemide) challenge test in assessing bilateral fetal hydronephrosis (Barrett, Rayburn, and Barr), 846 (Comm. in brief)
Lecithin/sphingomyelin ratio and neonatal pulmonary sufficiency, its relationship to: amniotic fluid absorbance at 650 nm (Khouzami et al.), 552
Leiomyoma, uterine, conservative approach to management of: pituitary desensitization by luteinizing hormone–releasing hormone analogue (Filicori et al.), 726 (Comm. in brief)
Ligation, ovarian artery, method of: surgical control of pelvic hemorrhage (Cruikshank and Stoelk), 724 (Comm. in brief)
Lipemic and hormonal responses, differential, to oral and parenteral 17β-estradiol in postmenopausal women (Basdevant, De Lignieres, and Guy-Grand), 77
Lipodystrophy, progressive partial, in association with intrauterine death and growth retardation (Haxton), 837 (Comm. in brief)
Listeriosis as cause of maternal death: obstetric complication of acquired immunodeficiency syndrome (AIDS) (Wetli, Roldan, and Fojaco), 7
Lobule, isolated placental, transplacental transfer of beta-adrenergic drugs studied by in vitro perfusion method of (Sodha and Schneider, 303
Logistic models for prediction of enteric morbidity in treatment of ovarian and cervical cancers (Potish et al.), 65
Lumbar epidural anesthesia, maternal catecholamines decrease during labor after (Shnider et al.), 13
Luteinizing hormone–releasing hormone analogue, pituitary desensitization by: conservative approach to management of uterine leiomyoma (Filicori et al.), 726 (Comm. in brief)
Lymphadenectomy, pelvic, and radical hysterectomy, deliberate hypotensive technique for decreasing blood loss during (Powell et al.), 196
Lymphocyte proliferation, *Candida albicans*–induced, inhibition of, by lymphocytes and sera from women with recurrent vaginitis (Witkin, Yu, and Ledger), 809

M

Magnesium sulfate as tocolytic agent (Elliott), 277
Malformations, congenital, in offspring and contraceptive usage, lack of association between (Linn et al.), 923
  correctable fetal, importance of antenatal ultrasonographic diagnosis of (Sarda et al.), 443
  fetal, ultrasound in diagnosis of (Horger and Pai), 163
  pressure, from chronic leakage of amniotic fluid: possible iatrogenic origin of extramembranous pregnancy and extrachorial placenta (Davies and Lomeli), 838 (Comm. in brief)
Malignancy, gynecologic, anticoagulation therapy for venous thromboembolism in patients with (Clarke-Pearson, Synan, and Creasman), 369
Malignant breast diseases, benign and, thermobiological assessment of (Gautherie), 861
  melanoma in ovary with ultrastructural confirmation (Gonzalez and Hammond), 722 (Comm. in brief)
  ovarian germ cell tumors, new serologic diagnostic method for: detection of antibodies to large glycopeptides (Higaki et al.), 974 (Comm. in brief)
Marfan's syndrome: acute aortic dissection during labor, resulting in fetal distress and cesarean section, followed by successful surgical repair (Ferguson et al.), 759
Marsupialization, recurrent periclitoral abscess treated by (Sur), 340 (Comm. in brief)
Maternal antibody levels, relationship of, to post–cesarean section endometritis (Grunebaum et al.), 919
  catecholamines decrease during labor after lumbar epidural anesthesia (Shnider et al.), 13
  death, listeriosis as cause of: obstetric complication of acquired immunodeficiency syndrome (AIDS) (Wetli, Roldan, and Fojaco), 7
  ethanol infusion during pregnancy, effects of, on growth and development of children at four to seven years of age (Sisenwein et al.), 52
  and fetal plasma oxytocin levels during pregnancy and parturition in sheep (Dawood et al.), 584
Maternal—cont'd
  floor infarction, recurrent: preventable cause of fetal death (Clewell and Manchester), 346 (Comm. in brief)
  hyperglycemia, reduced short-term variability of fetal heart rate in association with, during pregnancy in insulin-dependent diabetic women (Kariniemi et al.), 793
  osmotic challenge, bulk flow of amniotic fluid water in response to (Ross et al.), 697
  smoking and respiratory distress syndrome (Curet et al.), 446
  transport and perinatal denominator (Miller, Densberger, and Krogman), 19
  and umbilical venous plasma immunoreactive β-endorphin levels during labor with and without epidural analgesia (Jouppila et al.), 799
  uterine ischemia, acute, electrocardiographic responses of rat fetuses with clamped or intact umbilical cords to (Robinson, Kavlock, and Watkinson), 795
Mathematical approach to problems of cephalopelvic disproportion at pelvic inlet (Yamazaki and Uchida), 25
Maturation, ultrasonographically observed early placental, and perinatal outcome (Patterson, Hayashi, and Cavazos), 773
Meconium, variable interference of, in determination of phosphatidylglycerol (Hill and Ellefson), 339 (Comm. in brief)
Melanoma, malignant, in ovary with ultrastructural confirmation (Gonzalez and Hammond), 722 (Comm. in brief)
Membranes, artificial rupture of, plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ during induction of labor by, IV. Oxytocin and initiation of human parturition (Husslein et al.), 503
  human fetal, inner ring deiodination of thyroxine and 3,5,3′-triiodothyronine by (Roti et al.), 788
  source of prostaglandin precursor in: arachidonic acid content of amnion and chorion laeve in diamnionic-dichorionic twin placentas (Okita, Johnston, and MacDonald), 477
  premature rupture of: role of C-reactive protein in prediction of chorioamnionitis (Hawrylyshyn et al.), 240
  rupture of, changes in mechanical forces of cervical distention before and after (Manabe and Sagawa), 667
Menarche, menopause, mumps, and ovarian cancer (Cramer et al.), 1 (Clinical opinion)
Menotropins, plasma estrogen and progesterone in quintuplet pregnancy induced with (Muechler and Huang), 105 (Comm. in brief)
Menstrual cycle, progesterone and estradiol in saliva and plasma during (Choe, Khan-Dawood, and Dawood), 557
  pattern change after sterilization, new approach to measuring (Fortney, Cole, and Kennedy), 830
Mental retardation and cerebral palsy in relation to indicators of perinatal asphyxia (Paneth and Stark), 960 (Current developments)
Meperidine and placebo, picenadol (LY 150720) compared with, for relief of post–cesarean section pain: randomized double-blind study (Sherline), 404
Mesosalpinx, surgical alteration of, and its influence upon ovarian ovulatory function in rabbit (Verhoeven et al.), 825
Messenger RNA coding for human chorionic somatomammotropin, plasma human chorionic somatomammotropin deficiency in normal pregnancy is consequence of low concentration of (Hubert et al.), 676
Metabolism, calcium, in hypertensive mother, fetus, and newborn infant (Varner, Cruikshank, and Pitkin), 762
Miconazole nitrate, ^{3}H–, disposition of radioactivity following intravaginal administration of (Abrams and Weintraub), 970 (Comm. in brief)
Microcapsule contraceptive system, improved injectable, clinical evaluation of (Beck et al.), 815
Microscopically controlled surgery, Mohs technique of, early invasive carcinoma of vulva treated with (Siegle, Headington, and Swanson), 459 (Comm. in brief)
Milk, breast, radioactivity in, after intraperitoneal chromic phosphate for treatment of early ovarian cancer (Carlson et al.), 840 (Comm. in brief)
Mohs technique of microscopically controlled surgery, early invasive carcinoma of vulva treated with (Siegle, Headington, and Swanson), 459 (Comm. in brief)
Molecular heterogeneity, prolactin (Shoupe et al.), 482
Monitoring, fetal scalp electrode, cerebrospinal fluid leak in neonate associated with (Nieburg and Gross), 839 (Comm. in brief)
  heart rate (Amato), 967 (Comm. in brief)
Monoclonal versus polyclonal antibody radioimmunoassay against β-subunit of human chorionic gonadotropin in patients with gestational trophoblastic neoplasia (Wu, Ballon, and Teng), 821

Monster, acardiac, acephalic, intrauterine treatment of fetal cardiac failure in twin pregnancy with (Simpson et al.), 842 (Comm. in brief)
Morbidity, enteric, in treatment of ovarian and cervical cancers, logistic models for prediction of (Potish et al.), 65
post–cesarean section infectious, reduction of, by means of antibiotic irrigation (Levin, Gorchels, and Andersen), 273
Mother(s), diabetic, congenital anomalies among infants of (Cousins), 333 (Current developments)
hypertensive, fetus, and newborn infant, calcium metabolism in (Varner, Cruikshank, and Pitkin), 762
Moxalactam, ceftazidime, and cefoxitin kinetics, study of, in pregnancy (Giamarellou et al.), 914
versus cefazolin prophylaxis for vaginal hysterectomy (Hemseli et al.), 379
Mucocutaneous candidiasis, congenital, following diagnostic amniocentesis (Delaplane et al.), 342 (Comm. in brief)
Mumps, menarche, menopause, and ovarian cancer (Cramer et al.), 1 (Clinical opinion)
Myometrium, human: new potential source of prolactin (Walters et al.), 639

N

National Board test questions, use of, to evaluate student performance in obstetrics and gynecology (Herbert, McGaghie, and Forsythe), 73
Neonatal deaths in Alabama. III. Out-of-hospital births, 1940-1980 (Goldenberg et al.), 687
outcome after treatment with ritodrine: controlled study (Huisjes and Touwen), 250
effect of plasma glucose variability on, in pregnant diabetic patient (Artal et al.), 537
impact of publicly funded perinatal care programs on, Georgia, 1976-1978 (Spitz et al.), 295
pulmonary sufficiency and lecithin/sphingomyelin ratio, its relationship to: amniotic fluid absorbance at 650 nm (Khouzami et al.), 552
Neonate, cerebrospinal fluid leak in, associated with fetal scalp electrode monitoring (Nieburg and Gross), 839 (Comm. in brief)
Neoplasia, gestational trophoblastic, monoclonal versus polyclonal antibody radioimmunoassay against β-subunit of human chorionic gonadotropin in patients with (Wu, Ballon, and Teng), 821
Nephelometric urinary protein profile as index of renal involvement in hypertensive disorders of pregnancy (Eden et al.), 645
serial, as index of renal involvement in severe pregnancy-induced hypertension: case report (Eden et al.), 106 (Comm. in brief)
Neurotransmitter, vasoactive intestinal polypeptide as, in female genital tract (Ottesen), 208 (Current developments)
Newborn and fetal lamb and pregnant ewe, subhourly variability of circulating norepinephrine and epinephrine in (Jones et al.), 121
infant, hypertensive mother, and fetus, calcium metabolism in (Varner, Cruikshank, and Pitkin), 762
Norepinephrine and epinephrine, circulating, subhourly variability of, in pregnant ewe and fetal and newborn lamb (Jones et al.), 121
Nova-T and Copper-T-200, five years' experience of intrauterine contraception with (Luukkainen et al.), 885
Nuclear estrogen binding capacity, cytoplasmic and, in uterus, influence of danazol on (Sanfilippo et al.), 364
Nutritional evaluation of gynecologic cancer patients during initial diagnosis of their disease (Tunca), 893

O

Obstetric(s) complication of acquired immunodeficiency syndrome (AIDS): listeriosis as cause of maternal death (Wetli, Roldan, and Fojaco), 7
and gynecology, use of National Board test questions to evaluate student performance in (Herbert, McGaghie, and Forsythe), 73
Obstetrician-gynecologists, is there surplus of (Pearse), 133
and prematurity (Crenshaw et al.), 125
Obstruction, early intrauterine urethral, natural course of (Korenromp et al.), 465 (Comm. in brief)
Office termination, early, of pregnancy by soft cannula vacuum aspiration (Meyer), 202
Offspring, congenital malformations in, and contraceptive usage, lack of association between (Linn et al.), 923
Oligohydramnios: ultrasonically detected incidence and subsequent fetal outcome (Hill et al.), 407
Ontogenesis and characteristics of epidermal growth factor receptors in human placenta (Carson et al.), 932
Ontogeny of human fetal plasma progesterone, deoxycorticosterone, and deoxycorticosterone sulfate (Parker et al.), 955
Oocytes, cultured mouse, in vivo and in vitro effects of clomiphene citrate on ovulation, fertilization, and development of (Laufer et al.), 633
Operation, successful, for stress urinary incontinence, urodynamic changes after (Bergman and McCarthy), 325
Oral contraceptives, effect of, on plasma glucose, insulin, and glucagon levels (Gossain et al.), 618
and parenteral 17β-estradiol, differential lipemic and hormonal responses to, in postmenopausal women (Basdevant, De Lignieres, and Guy-Grand), 77
Ornithine decarboxylase activity, human chorionic gonadotropin–induced, and ovulation, ibuprofen modulation of, in rabbit ovary (Bieniarz et al.), 327
Osmotic challenge, maternal, bulk flow of amniotic fluid water in response to (Ross et al.), 697
Ovarian and/or adrenal dysfunction as possible etiology of idiopathic hirsutism, evidence for (Bouallouche et al.), 57
artery ligation, method of: surgical control of pelvic hemorrhage (Cruikshank and Stoelk), 724 (Comm. in brief)
cancer, analysis of sites of persistent cancer at "second-look" laparotomy in patients with (Phibbs, Smith, and Stanhope), 611
early, radioactivity in breast milk after intraperitoneal chromic phosphate for treatment of (Carlson et al.), 840 (Comm. in brief)
mumps, menarche, and menopause (Cramer et al.), 1 (Clinical opinion)
and cervical cancers, logistic models for prediction of enteric morbidity in treatment of (Potish et al.), 65
germ cell tumors, malignant, new serologic diagnostic method for: detection of antibodies to large glycopeptides (Higaki et al.), 974 (Comm. in brief)
ovulatory function, surgical alteration of mesosalpinx and its influence upon, in rabbit (Verhoeven et al.), 825
relaxin, porcine, ripening of human cervix with (Evans et al.), 410
Ovary, ibuprofen modulation of human chorionic gonadotropin–induced ornithine decarboxylase activity and ovulation in (Bieniarz et al.), 327
malignant melanoma in, with ultrastructural confirmation (Gonzales and Hammond), 722 (Comm. in brief)
Ovulation, fertilization, and development of cultured mouse oocytes, in vivo and in vitro effects of clomiphene citrate on (Laufer et al.), 633
and human chorionic gonadotropin–induced ornithine decarboxylase activity, ibuprofen modulation of, in rabbit ovary (Bieniarz et al.), 327
Ovulatory function, ovarian, surgical alteration of mesosalpinx and its influence upon, in rabbit (Verhoeven et al.), 825
(peri-) glycoprotein secretion in macaque fallopian tube (Jansen and Bajpai), 598
Oxygen consumption, fetal, and umbilical blood flow, effect on: fetal polycythemia and hyperviscosity (Tenenbaum et al.), 48
Oxytocin and initiation of human parturition. III. Plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in spontaneous and oxytocin-induced labor at term (Fuchs et al.), 497
IV. Plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ during induction of labor by artificial rupture of membranes (Husslein et al.), 503
levels, maternal and fetal plasma, during pregnancy and parturition in sheep (Dawood et al.), 584
plasma, comparison of, during spontaneous labor and labor induced by amniotomy, prostaglandin $F_{2\alpha}$, and prostaglandin E_2 (Nagata et al.), 259
spurt release of, during surgical induction of labor in women (Chard and Gibbens), 678

P

Pain, post–cesarean section, picenadol (LY 150720) compared with meperidine and placebo for relief of: randomized double-blind study (Sherline), 404
Papers of Society for Gynecologic Investigation, 477-608
Parenteral and oral 17β-estradiol, differential lipemic and hormonal responses to, in postmenopausal women (Basdevant, De Lignieres, and Guy-Grand), 77
Parity and gestational age, occurrence and characterization of different types of cytotoxic antibodies in pregnant women in relation to (Koenig and Müller), 671

Parturition, human, oxytocin and initiation of. III. Plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in spontaneous and oxytocin-induced labor at term (Fuchs et al.), 497
IV. Plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ during induction of labor by artificial rupture of membranes (Husslein et al.), 503
and pregnancy, maternal and fetal plasma oxytocin levels during, in sheep (Dawood et al.), 584
Pathology, placental, case presentation demonstrating absence of: Takayasu's arteritis in pregnancy (Nagey et al.), 463 (Comm. in brief)
Pathophysiologic features, distinct, common endocrinopathy with: hyperandrogenism, insulin resistance, and acanthosis nigricans syndrome (Barbieri and Ryan), 90 (Current developments)
Patriot, maligned early: Dr. John Pott (Given), 115
Pelvic hemorrhage, surgical control of: method of bilateral ovarian artery ligation (Cruikshank and Stoelk), 724 (Comm. in brief)
inflammatory disease, acute, after hysterosalpingography, prevention of: efficacy of doxycycline prophylaxis (Pittaway et al.), 623
inlet, mathematical approach to problems of cephalopelvic disproportion at (Yamazaki and Uchida), 25
lymphadenectomy and radical hysterectomy, deliberate hypotensive technique for decreasing blood loss during (Powell et al.), 196
Perforation, uterine, intrauterine incarcerated bowel following, during abortion: case report (Dunner et al.), 969 (Comm. in brief)
Perfusion method, in vitro, of isolated human placental lobule, transplacental transfer of beta-adrenergic drugs studied by (Sodha and Schneider), 303
Periarteritis nodosa, pregnancy complicated by: induced abortion as alternative (Nagey, Fortier, and Linder), 103 (Comm. in brief)
Perinatal asphyxia, cerebral palsy and mental retardation in relation to indicators of (Paneth and Stark), 960 (Current developments)
care programs, publicly funded, impact of, on neonatal outcome, Georgia, 1976-1978 (Spitz et al.), 295
denominator, maternal transport and (Miller, Densberger, and Krogman), 19
heart rate variability and circulatory adaptation in association with normal labor and after elective cesarean section (Pohjavuori, Forss, and Kariniemi), 943
outcome, ultrasonographically observed early placental maturation and (Patterson, Hayashi, and Cavazos), 773
and prenatal implications: *Campylobacter* enteritis (Tabak, Hart, and Osborn), 845 (Comm. in brief)
urinary retention, transient: cautionary note for fetal surgeon (Farkas, Eidelman, and Gale), 461 (Comm. in brief)
Peritoneal fluid and plasma of women with endometriosis, prostanoid content in (Sgarlata, Hertelendy, and Mikhail), 563
prostanoids in unexplained infertility (Drake, O'Brien, and Ramwell), 63
Pessary, vaginal, urodynamic effects of, in women with stress urinary incontinence (Bhatia, Bergman, and Gunning), 876
Pharmacodynamics of ritodrine in pregnant women during preterm labor (Caritis et al.), 752
Phosphate, intraperitoneal chromic, for treatment of early ovarian cancer, radioactivity in breast milk after (Carlson et al.), 840 (Comm. in brief)
Phosphatidylglycerol, amniotic fluid, new rapid slide agglutination test for: laboratory and clinical correlation (Garite et al.), 681
one-dimensional versus two-dimensional (Grundy and Wiltjer), 718 (Comm. in brief)
variable interference of meconium in determination of (Hill and Ellefson), 339
Picenadol (LY 150720) compared with meperidine and placebo for relief of post–cesarean section pain: randomized double-blind study (Sherline), 404
Pituitary desensitization by luteinizing hormone–releasing hormone analogue: conservative approach to management of uterine leiomyoma (Filicori et al.), 726 (Comm. in brief)
tumors, treated and untreated prolactin-secreting, outcome of pregnancy in patients with (Hammond et al.), 148
Placebo-controlled, double-blind comparison of tinidazole and triple sulfonamide cream for treatment of nonspecific vaginitis (Piot et al.), 85
and meperidine, picenadol (LY 150720) compared with, for relief of post–cesarean section pain: randomized double-blind study (Sherline), 404
Placenta(s), diamnionic-dichorionic twin, arachidonic acid content of amnion and chorion laeve in: source of prostaglandin precursor in human fetal membranes (Okita, Johnston, and MacDonald), 477
extrachorial, and extramembranous pregnancy, possible iatrogenic origin of: pressure malformations from chronic leakage of amniotic fluid (Davies and Lomeli), 838 (Comm. in brief)
human, ontogenesis and characteristics of epidermal growth factor receptors in (Carson et al.), 932
Placental and fetal blood flow, effect of caffeine on, in human pregnancy (Kirkinen et al.), 939
injection studies in twin gestation (Robertson and Neer), 170
lactogen, serum human, pregnancy-specific β_1-glycoprotein, and urinary estrogens, and their relationship to placental insufficiency: prospective study of three biochemical fetoplacental tests (MacDonald et al.), 430
lobule, isolated, transplacental transfer of beta-adrenergic drugs studied by in vitro perfusion method of (Sodha and Schneider), 303
maturation, ultrasonographically observed early, and perinatal outcome (Patterson, Hayashi, and Cavazos) 773
pathology, case presentation demonstrating absence of: Takayasu's arteritis in pregnancy (Nagey et al.), 463 (Comm. in brief.)
Plasma cells, role of immunohistochemistry in detection of: chronic endometritis (Crum et al.), 812
concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in spontaneous and oxytocin-induced labor at term, III. Oxytocin and initiation of human parturition (Fuchs et al.), 497
during induction of labor by artificial rupture of membranes, IV. Oxytocin and initiation of human parturition (Husslein et al.), 503
11-deoxycortisol in normal and abnormal human pregnancy (Kuwabara et al.), 766
estrogen and progesterone in quintuplet pregnancy induced with menotropins (Muechler and Huang), 105 (Comm. in brief)
glucose, insulin, and glucagon levels, effect of oral contraceptives on (Gossain et al.), 618
variability, effect of, on neonatal outcome in pregnant diabetic patient (Artal et al.), 537
human chorionic somatomammotropin deficiency in normal pregnancy is consequence of low concentration of messenger RNA coding for human chorionic somatomammotropin (Hubert et al.), 676
immunoreactive β-endorphin levels, maternal and umbilical venous, during labor with and without epidural analgesia (Jouppila et al.), 799
oxytocin levels, comparison of, during spontaneous labor and labor induced by amniotomy, prostaglandin $F_{2\alpha}$, and prostaglandin E_2 (Nagata et al.), 259
maternal and fetal, during pregnancy and parturition in sheep (Dawood et al.), 584
and peritoneal fluid of women with endometriosis, prostanoid content in (Sgarlata, Hertelendy, and Mikhail), 563
progesterone, deoxycorticosterone, and deoxycorticosterone sulfate, human fetal, ontogeny of (Parker et al.), 955
and saliva, progesterone and estradiol in, during menstrual cycle (Choe, Khan-Dawood, and Dawood), 557
volume findings in patients with mild pregnancy-induced hypertension (Sibai et al.), 16
Po_2 measurements, transcutaneous scalp, in fetal sheep: influence of external pressure on electrode or on skin (Jansen and Nathanielsz), 508
Polyclonal versus monoclonal antibody radioimmunoassay against β-subunit of human chorionic gonadotropin in patients with gestational trophoblastic neoplasia (Wu, Ballon, and Teng), 821
Polycythemia, fetal, and hyperviscosity: effect on umbilical blood flow and fetal oxygen consumption (Tenenbaum et al.), 48
Polyethylene glycol precipitation and Raji cell enzyme-linked immunosorbent assay methods, evaluation of: circulating immune complexes in pregnancy, preeclampsia, and autoimmune diseases (Rote and Caudle), 267
Polypeptide, vasoactive intestinal, as neurotransmitter in female genital tract (Ottesen), 208 (Current developments)
Postmenopausal women, differential lipemic and hormonal responses to oral and parenteral 17β-estradiol in (Basdevant, De Lignieres, and Guy-Grand), 77
at risk for endometrial carcinoma, detection of, by progesterone challenge test (Hanna et al.), 872
Pott, Dr. John: maligned early patriot (Given), 115

Precipitation, polyethylene glycol, and Raji cell enzyme-linked immunosorbent assay methods, evaluation of: circulating immune complexes in pregnancy, preeclampsia, and autoimmune diseases (Rote and Caudle), 267
Preeclampsia, autoimmune diseases, and pregnancy, circulating immune complexes in: evaluation of Raji cell enzyme-linked immunosorbent assay and polyethylene glycol precipitation methods (Rote and Caudle), 267
dietary protein and (Zlatnik and Burmeister), 345 (Comm. in brief)
severe, cortical blindness as initial symptom in (Goodlin et al.), 841 (Comm. in brief)
T-cell subsets in patients with (Sridama et al.), 566
Pregnancy(ies), arteriohepatic dysplasia in (Romero et al.), 108 (Comm. in brief)
birth defects in relation to Bendectin use in. II. Pyloric stenosis (Mitchell et al.), 737
complicated by periarteritis nodosa: induced abortion as alternative (Nagey, Fortier, and Linder), 103 (Comm. in brief)
diabetic, reappraisal of "tight control" in (Miller), 158
early office termination of, by soft cannula vacuum aspiration (Meyer), 202
effect(s) of hypertonic saline on vascular responses to angiotensin II in (Matsuura et al.), 231
of maternal infusion during, on growth and development of children at four to seven years of age (Sisenwein et al.), 52
evaluation of serum γ-glutamyl transferase as screening method for excessive alcohol consumption during (Larsson et al.), 654
exercise in. II. Fetal responses (Platt et al.), 487
extramembranous, and extrachorial placenta, possible iatrogenic origin of: pressure malformations from chronic leakage of amniotic fluid (Davies and Lomeli), 838 (Comm. in brief)
failure, early, endocrinologic events in (Aspillaga et al.), 903
high-risk, identification of, by routine measurement of pregnancy-specific β_1-glycoprotein (Grudzinskas et al.), 10
human, effect of caffeine on placental and fetal blood flow in (Kirkinen et al.), 939
hypoestrogenic, extra-adrenal deoxycorticosterone production in: serum concentrations of progesterone and deoxycorticosterone in anencephalic fetuses and in women pregnant with anencephalic fetus (Parker et al.), 415
-induced hypertension, mild, plasma volume findings in patients with (Sibai et al.), 16
severe, serial nephelometric urinary protein profile as index of renal involvement in: case report (Eden et al.), 106 (Comm. in brief)
iron overdose during: successful therapy with deferoxamine (Rayburn, Donn, and Wulf), 717 (Comm. in brief)
isovolumetric partial exchange transfusion in management of sickle cell disease in. II. Simplified ambulatory technique (Nagey et al.), 693
late, decreased bilirubin binding by albumin in (Karp, Robertson, and Davis), 341 (Comm. in brief)
nephelometric urinary protein profile as index of renal involvement in hypertensive disorders of (Eden et al.), 645
normal and abnormal human, plasma 11-deoxycortisol in (Kuwabara et al.), 766
erythrocyte aggregation during (Ozanne et al.), 576
human, biphasic changes in hemoglobin A_{1C} concentrations during (Phelps et al.), 651
plasma human chorionic somatomammotropin deficiency in, is consequence of low concentration of messenger RNA coding for human chorionic somatomammotropin (Hubert et al.), 676
one hundred seven diabetic, clinical experience with (Lavin et al.), 742
outcome of, in patients with treated and untreated prolactin-secreting pituitary tumors (Hammond et al.), 148
and parturition, maternal and fetal plasma oxytocin levels during, in sheep (Dawood et al.), 584
preeclampsia, and autoimmune diseases, circulating immune complexes in: evaluation of Raji cell enzyme-linked immunosorbent assay and polyethylene glycol precipitation methods (Rote and Caudle), 267
quintuplet, induced with menotropins, plasma estrogen and progesterone in (Muechler and Huang), 105 (Comm. in brief)
reduced short-term variability of fetal heart rate in association with maternal hyperglycemia during, in insulin-dependent diabetic women (Kariniemi et al.), 793
-specific β_1-glycoprotein, urinary estrogens, and serum human placental lactogen, and their relationship to placental insufficiency: prospective study of three biochemical fetoplacental tests (MacDonald et al.), 430
Pregnancy(ies)—cont'd
study of cefoxitin, moxalactam, and ceftazidime kinetics in (Giamarellou et al.), 914
Takayasu's arteritis in: case presentation demonstrating absence of placental pathology (Nagey et al.), 463 (Comm. in brief)
tubal, human chorionic gonadotropin regression following conservative surgical management of (Holtz), 347 (Comm. in brief)
twin, with acardiac, acephalic monster, intrauterine treatment of fetal cardiac failure in (Simpson et al.), 842 (Comm. in brief)
Pregnant baboons, ritodrine hydrochloride infusion in. II. Sodium and water compartment alterations (Hankins et al.), 254
diabetic patient, effect of plasma glucose variability on neonatal outcome in (Artal et al.), 537
ewe and fetal and newborn lamb, subhourly variability of circulating norepinephrine and epinephrine in (Jones et al.), 121
women, occurrence and characterization of different types of cytotoxic antibodies in, in relation to parity and gestational age (Koenig and Müller), 671
pharmacodynamics of ritodrine in, during preterm labor (Caritis et al.), 752
with sickle cell disease, catechol-O-methyltransferase activity in erythrocytes of, before, during, and after transfusion and partial exchange transfusion (Cunningham et al.), 573
Premature labor, advanced, intravenous terbutaline and simultaneous β_1-blockade for (Ross et al.), 897
follow-up of hydration and sedation in pretherapy of (Valenzuela, Cline, and Hayashi), 396
rupture of membranes: role of C-reactive protein in prediction of chorioamnionitis (Hawrylyshyn et al.), 240
Prematurity and obstetrician (Crenshaw et al.), 125
Prenatal diagnoses, one thousand consecutive, results of (Young et al.), 181
diagnostic marker for upper gastrointestinal atresias, amniotic fluid acetylcholinesterase as (Holzgreve and Golbus), 837 (Comm. in brief)
echocardiographic diagnosis of Ebstein's anomaly with pulmonary atresia (Sharf et al.), 300
and perinatal implications: *Campylobacter* enteritis (Tabak, Hart, and Osborn), 845 (Comm. in brief)
Preterm infants, accuracy of ultrasonic fetal weight prediction in (Eden et al.), 43
labor, pharmacodynamics of ritodrine in pregnant women during (Caritis et al.), 752
and term infants, intrauterine and extrauterine growth of cranial perimeter in (Fescina and Martell), 928
Primigravid patients, longitudinal study of changes in aerobic fitness, body composition, and energy intake in (Dibblee and Graham), 908
Progesterone challenge test, detection of postmenopausal women at risk for endometrial carcinoma by (Hanna et al.), 872
deoxycorticosterone, and deoxycorticosterone sulfate, human fetal plasma, ontogeny of (Parker et al.), 955
serum concentrations of, in anencephalic fetuses and in women pregnant with anencephalic fetus: extra-adrenal deoxycorticosterone production in hypoestrogenic pregnancies (Parker et al.), 415
and estradiol receptors in cytosol of human uterine artery (Lantta, Kärkkäinen, and Lehtovirta), 627
in saliva and plasma during menstrual cycle (Cloe, Khan-Dawood, and Dawood), 557
and estrogen, plasma, in quintuplet pregnancy induced with menotropins (Muechler and Huang), 105 (Comm. in brief)
Progress, alphabet of (Fuchs), 311
Prolactin molecular heterogeneity (Shoupe et al.), 482
new potential source of: human myometrium (Walters et al.), 639
-secreting pituitary tumors, treated and untreated, outcome of pregnancy in patients with (Hammond et al.), 148
secretion by human chorion-decidua in vitro: influences of mode of delivery and agents that modify prostaglandin synthesis (Krug et al.), 38
suppression with bromocriptine, persisting amenorrhea after: hyperprolactinemic amenorrhea in women with craniopharyngioma (Brandeis, Kemmann, and Jones), 109 (Comm. in brief)
Prolapse, vaginal, after hysterectomy, repair of (Thornton and Peters), 140
Prostaglandin E_2 in viscous gel, intravaginal versus intracervical application of, for cervical priming and induction of labor at term in patients with unfavorable cervical state (Ekman et al.), 657
$F_{2\alpha}$, prostaglandin E_2, and amniotomy, comparison of plasma oxytocin levels during spontaneous labor and labor induced by (Nagata et al.), 259

Prostaglandin $F_{2\alpha}$—cont'd
13,14-dihydro-15-keto-, and oxytocin, plasma concentrations of, in spontaneous and oxytocin-induced labor at term, III. Oxytocin and initiation of human parturition (Fuchs et al.), 497
during induction of labor by artificial rupture of membranes, IV. Oxytocin and initiation of human parturition (Husslein et al.), 503
precursor, source of, in human fetal membranes: arachidonic acid content of amnion and chorion laeve in diamnionic-dichorionic twin placentas (Okita, Johnston, and MacDonald), 477
synthesis, agents that modify, and mode of delivery, influences of: prolactin secretion by human chorion-decidua in vitro (Krug et al.), 38
Prostanoid(s) content in peritoneal fluid and plasma of women with endometriosis (Sgarlata, Hertelendy, and Mikhail), 563
in human amniotic fluid, origin of: fetal kidney as source of amniotic fluid prostanoids (Casey, Cutrer, and Mitchell), 547
peritoneal fluid, in unexplained infertility (Drake, O'Brien, and Ramwell), 63
Protein, C-reactive, role of, in prediction of chorioamnionitis: premature rupture of membranes (Hawrylyshyn et al.), 240
dietary, and preeclampsia (Zlatnik and Burmeister), 345 (Comm. in brief)
profile, nephelometric urinary, as index of renal involvement in hypertensive disorders of pregnancy (Eden et al.), 645
serial nephelometric urinary, as index of renal involvement in severe pregnancy-induced hypertension: case report (Eden et al.), 106 (Comm. in brief)
Publicly funded perinatal care programs, impact of, on neonatal outcome, Georgia, 1976-1978 (Spitz et al.), 295
Puerperal women, serum tobramycin levels in (Blanco et al.), 466 (Comm. in brief)
Pulmonary atresia, prenatal echocardiographic diagnosis of Ebstein's anomaly with (Sharf et al.), 300
sufficiency, neonatal, and lecithin/sphingomyelin ratio, its relationship to: amniotic fluid absorbance at 650 nm (Khouzami et al.), 552
surfactant release in fetal rabbits: immediate and delayed response to terbutaline (Ekelund, Burgoyne, and Enhorning), 437
Pyloric stenosis, II. Birth defects in relation to Bendectin use in pregnancy (Mitchell et al.), 737

Q

Quintuplet pregnancy induced with menotropins, plasma estrogen and progesterone in (Muechler and Huang), 105 (Comm. in brief)

R

Radiation potentiator in carcinoma of uterine cervix: hydroxyurea (Piver et al.), 803
Radioactivity in breast milk after intraperitoneal chromic phosphate for treatment of early ovarian cancer (Carlson et al.), 840 (Comm. in brief)
disposition of, following intravaginal administration of ^{3}H–miconazole nitrate (Abrams and Weintraub), 970 (Comm. in brief)
Radioimmunoassay, monoclonal versus polyclonal antibody, against β-subunit of human chorionic gonadotropin in patients with gestational trophoblastic neoplasia (Wu, Ballon, and Teng), 821
Raji cell enzyme-linked immunosorbent assay and polyethylene glycol precipitation methods, evaluation of: circulating immune complexes in pregnancy, preeclampsia, and autoimmune diseases (Rote and Caudle), 267
Real-time echography, continuous, amniocentesis with use of: experience with two hundred consecutive cases (Defoort and Thiery), 973 (Comm. in brief)
Receptor(s), androgen, in human foreskin. II. Characterization of receptor from hypospadiac tissue (Coulam et al.), 513
epidermal growth factor, in human placenta, ontogenesis and characteristics of (Carson et al.), 932
progesterone and estradiol, in cytosol of human uterine artery (Lantta, Kärkkäinen, and Lehtovirta), 627
status, estrogen, effect of, on survival in patients with endometrial cancer (Martin et al.), 322
Rectovaginal fistulas, surgical management of, in Crohn's disease (Bandy, Addison, and Parker), 359
Relaxin, porcine ovarian, ripening of human cervix with (Evans et al.), 410
Releasing hormone, luteinizing hormone–, analogue, pituitary desensitization by: conservative approach to management of uterine leiomyoma (Filicori et al.), 726 (Comm. in brief)
Renal involvement, nephelometric urinary protein profile as index of, in hypertensive disorders of pregnancy (Eden et al.), 645
serial nephelometric urinary protein profile as index of, in severe pregnancy-induced hypertension: case report (Eden et al.), 106 (Comm. in brief)
Respiratory distress syndrome, maternal smoking and (Curet et al.), 446
Retardation, growth, and intrauterine death, progressive partial lipodystrophy in association with (Haxton), 837 (Comm. in brief)
mental, and cerebral palsy in relation to indicators of perinatal asphyxia (Paneth and Stark), 960 (Current developments)
Ripening of human cervix with porcine ovarian relaxin (Evans et al.), 410
uterine cervix related to changes in collagen, glycosaminoglycans, and collagenolytic activity (Uldbjerg et al.), 662
Ritodrine hydrochloride infusion in pregnant baboons. II. Sodium and water compartment alterations (Hankins et al.), 254
neonatal outcome after treatment with: controlled study (Huisjes and Touwen), 250
pharmacodynamics of, in pregnant women during preterm labor (Caritis et al.), 752
RNA coding, messenger, for human chorionic somatomammotropin, plasma human chorionic somatomammotropin deficiency in normal pregnancy is consequence of low concentration of (Hubert et al.), 676
Rupture, artificial, of membranes, plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ during induction of labor by, IV. Oxytocin and initiation of human parturition (Husslein et al.), 503
early spontaneous, of gravid uterus (Iddenden and Nuttall), 971 (Comm. in brief)
of membranes, changes in mechanical forces of cervical distention before and after (Manabe and Sagawa), 667
premature, of membranes: role of C-reactive protein in prediction of chorioamnionitis (Hawrylyshyn et al.), 240

S

Saline, hypertonic, effect of, on vascular responses to angiotensin II in pregnancy (Matsuura et al.), 231
solution, intravenous, and dextran, fetal blood volume responses to (Brace), 777
Saliva and plasma, progesterone and estradiol in, during menstrual cycle (Choe, Khan-Dawood, and Dawood), 557
Scalp catecholamines, fetal, during labor (Bistoletti et al.), 785
electrode monitoring, fetal, cerebrospinal fluid leak in neonate associated with (Nieburg and Gross), 839 (Comm. in brief)
Po_2 measurements, transcutaneous, in fetal sheep: influence of external pressure on electrode or on skin (Jansen and Nathanielsz), 508
Screening method for excessive alcohol consumption during pregnancy, evaluation of serum γ-glutamyl transferase as (Larsson et al.), 654
"Second-look" laparotomy, analysis of sites of persistent cancer at, in patients with ovarian cancer (Phibbs, Smith, and Stanhope), 611
Sedation and hydration in pretherapy of premature labor, follow-up of (Valenzuela, Cline, and Hayashi), 396
Serologic diagnostic method, new, for malignant ovarian germ cell tumors: detection of antibodies to large glycopeptides (Higaki et al.), 974 (Comm. in brief)
Serum(a) concentrations of progesterone and deoxycorticosterone in anencephalic fetuses and in women pregnant with anencephalic fetus: extra-adrenal deoxycorticosterone production in hypoestrogenic pregnancies (Parker et al.), 415
γ-glutamyl transferase, evaluation of, as screening method for excessive alcohol consumption during pregnancy (Larsson et al.), 654
human placental lactogen, pregnancy-specific β_1-glycoprotein, and urinary estrogens, and their relationship to placental insufficiency: prospective study of three biochemical fetoplacental tests (MacDonald et al.), 430
and lymphocytes from women with recurrent vaginitis, inhibition of *Candida albicans*–induced lymphocyte proliferation by (Witkin, Yu, and Ledger), 809
tobramycin levels in puerperal women (Blanco et al.), 466 (Comm. in brief)
Sex steroid administration and castration, effects of: gonadotropins and gonadal steroids in androgen insensitivity (testicular feminization) syndrome (Naftolin et al.), 491
Shunt placement, ventriculoamniotic, gonococcal ventriculitis associated with (Bland et al.), 781

Sickle cell disease, catechol-O-methyltransferase activity in erythrocytes of pregnant women with, before, during, and after transfusion and partial exchange transfusion (Cunningham et al.), 573
in pregnancy, isovolumetric partial exchange transfusion in management of. II. Simplified ambulatory technique (Nagey et al.), 693
Skin, influence of external pressure on electrode or on: transcutaneous scalp Po_2 measurements in fetal sheep (Jansen and Nathanielsz), 508
Smoking, maternal, and respiratory distress syndrome (Curet et al.), 446
Society for Gynecologic Investigation, papers of, 477-608
Sodium and water compartment alterations, II. Ritodrine hydrochloride infusion in pregnant baboons (Hankins et al.), 254
Somatomammotropin deficiency, plasma human chorionic, in normal pregnancy is consequence of low concentration of messenger RNA coding for human chorionic somatomammotropin (Hubert et al.), 676
South Atlantic Association of Obstetricians and Gynecologists, The, transactions, forty-fifth annual meeting, 115-207
Sphingomyelin/lecithin ratio and neonatal pulmonary sufficiency, its relationship to: amniotic fluid absorbance at 650 nm (Khouzami et al.), 552
Stein-Leventhal syndrome and endometrial adenocarcinoma (Tsoutsoplides), 844 (Comm. in brief)
Stenosis, pyloric, II. Birth defects in relation to Bendectin use in pregnancy (Mitchell et al.), 737
Sterilization, new approach to measuring menstrual pattern change after (Fortney, Cole, and Kennedy), 830
Steroids, gonadal, and gonadotropins in androgen insensitivity (testicular feminization) syndrome: effects of castration and sex steroid administration (Naftolin et al.), 491
Streptococci, group B, inhibition of, by amniotic fluid from patients with intra-amniotic infection and from control subjects (Blanco, Gibbs, and Krebs), 247
Stress urinary incontinence, urodynamic changes after successful operation for (Bergman and McCarthy), 325
effects of vaginal pessary in women with (Bhatia, Bergman, and Gunning), 876
Student performance in obstetrics and gynecology, use of National Board test questions to evaluate (Herbert, McGaghie, and Forsythe), 73
Sulfonamide cream, triple, and tinidazole, placebo-controlled, double-blind comparison of, for treatment of nonspecific vaginitis (Piot et al.), 85
Surfactant release, pulmonary, in fetal rabbits: immediate and delayed response to terbutaline (Ekelund, Burgoyne, and Enhorning), 437
Surgeon, fetal, cautionary note for: transient perinatal urinary retention (Farkas, Eidelman, and Gale), 461 (Comm. in brief)
Surgery, microscopically controlled, Mohs technique of, early invasive carcinoma of vulva treated with (Siegle, Headington, and Swanson), 459 (Comm. in brief)
Surgical alteration of mesosalpinx and its influence upon ovarian ovulatory function in rabbit (Verhoeven et al.), 825
control of pelvic hemorrhage: method of bilateral ovarian artery ligation (Cruikshank and Stoelk), 724 (Comm. in brief)
induction of labor, spurt release of oxytocin during, in women (Chard and Gibbens), 678
management, conservative, of tubal pregnancy, human chorionic gonadotropin regression following (Holtz), 347 (Comm. in brief)
of rectovaginal fistulas in Crohn's disease (Bandy, Addison, and Parker), 359
manipulation of fetus, changes in systolic time intervals of fetal heart after (De Muylder et al.), 285
repair, successful, acute aortic dissection during labor, resulting in fetal distress and cesarean section, followed by: Marfan's syndrome (Ferguson et al.), 759
Surplus of obstetrician-gynecologists, is there (Pearse), 133
Survival, effect of estrogen receptor status on, in patients with endometrial cancer (Martin et al.), 322
Syndrome, acquired immunodeficiency (AIDS), obstetric complication of: listeriosis as cause of maternal death (Wetli, Roldan, and Fojaco), 7
androgen insensitivity (testicular feminization), gonadotropin and gonadal steroids in: effects of castration and sex steroid administration (Naftolin et al.), 491
carpal tunnel, associated with danazol therapy (Sikka et al.), 102 (Comm. in brief)
hyperandrogenism, insulin resistance, and acanthosis nigricans: common endocrinopathy with distinct pathophysiologic features (Barbieri and Ryan), 90
Syndrome—cont'd
Marfan's: acute aortic dissection during labor, resulting in fetal distress and cesarean section, followed by successful surgical repair (Ferguson et al.), 759
respiratory distress, maternal smoking and (Curet et al.), 446
Stein-Leventhal, and endometrial adenocarcinoma (Tsoutsoplides), 844 (Comm. in brief)
Systolic time intervals of fetal heart, changes in, after surgical manipulation of fetus (De Muylder et al.), 285

T

Takayasu's arteritis in pregnancy: case presentation demonstrating absence of placental pathology (Nagey et al.), 463 (Comm. in brief)
Tamponade, uterine, for control of acute uterine bleeding (Goldrath), 869
Terbutaline, immediate and delayed response to: pulmonary surfactant release in fetal rabbits (Ekelund, Burgoyne, and Enhorning), 437
intravenous, and simultaneous β_1-blockade for advanced premature labor (Ross et al.), 897
Term, cervical priming and induction of labor at, intravaginal versus intracervical application of prostaglandin E_2 in viscous gel for, in patients with unfavorable cervical state (Ekman et al.), 657
patients with chorioamnionitis, course of labor in (Duff, Sanders, and Gibbs), 391
plasma concentrations of oxytocin and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in spontaneous and oxytocin-induced labor at, III. Oxytocin and initiation of human parturition (Fuchs et al.), 497
and preterm infants, intrauterine and extrauterine growth of cranial perimeter in (Fescina and Martell), 928
Termination, early office, of pregnancy by soft cannula vacuum aspiration (Meyer), 202
Test(s), furosemide (Lasix) challenge, in assessing bilateral fetal hydronephrosis (Barrett, Rayburn, and Barr), 846 (Comm. in brief)
new rapid slide agglutination, for amniotic fluid phosphatidylglycerol: laboratory and clinical correlation (Garite et al.), 681
progesterone challenge, detection of postmenopausal women at risk for endometrial carcinoma by (Hanna et al.), 871
questions, National Board, use of, to evaluate student performance in obstetrics and gynecology (Herbert, McGaghie, and Forsythe), 73
three biochemical fetoplacental, prospective study of: serum human placental lactogen, pregnancy-specific β_1-glycoprotein, and urinary estrogens, and their relationship to placental insufficiency (MacDonald et al.), 430
Testicular feminization (androgen insensitivity) syndrome, gonadotropins and gonadal steroids in: effects of castration and sex steroid administration (Naftolin et al.), 491
Thermobiological assessment of benign and malignant breast diseases (Gautherie), 861
Thromboembolism, venous, anticoagulation therapy for, in patients with gynecologic malignancy (Clarke-Pearson, Synan, and Creasman), 369
Thyroxine and 3,5,3′-triiodothyronine, inner ring deiodination of, by human fetal membranes (Roti et al.), 788
Tinidazole and triple sulfonamide cream, placebo-controlled, double-blind comparison of, for treatment of nonspecific vaginitis (Piot et al.), 85
Tissue culture, use of trophoblast cells in, for fetal chromosomal studies (Martinez et al.), 542
hypospadiac, characterization of receptor from, II. Androgen receptor in human foreskin (Coulam et al.), 513
Tobramycin levels, serum, in puerperal women (Blanco et al.), 466 (Comm. in brief)
Tocolytic agent, magnesium sulfate as (Elliott), 277
Tomograms, normal or abnormal, hyperprolactinemia and, management of patients with (Kletzky, Marrs, and Davajan), 528
Transactions, forty-fifth annual meeting, The South Atlantic Association of Obstetricians and Gynecologists, 115-207
Transcutaneous scalp Po_2 measurements in fetal sheep: influence of external pressure on electrode or on skin (Jansen and Nathanielsz), 508
Transfusion, isovolumetric partial exchange, in management of sickle cell disease in pregnancy. II. Simplified ambulatory technique (Nagey et al.), 693
and partial exchange transfusion, catechol-O-methyltransferase activity in erythrocytes of pregnant women with sickle cell disease before, during, and after (Cunningham et al.), 573

Triiodothyronine, 3,5,3′-, and thyroxine, inner ring deiodination of, by human fetal membranes (Roti et al.), 788
Trophoblast cells in tissue culture, use of, for fetal chromosomal studies (Martinez et al.), 542
Trophoblastic neoplasia, gestational, monoclonal versus polyclonal antibody radioimmunoassay against β-subunit of human chorionic gonadotropin in patients with (Wu, Ballon, and Teng), 821
Tubal pregnancy, human chorionic gonadotropin regression following conservative surgical management of (Holtz), 347 (Comm. in brief)
Tumors, gynecologic, in vitro chemotherapy testing of: basis for planning therapy (Welander, Homesley, and Jobson), 188
  malignant ovarian germ cell, new serologic diagnostic method for: detection of antibodies to large glycopeptides (Higaki et al.), 974 (Comm. in brief)
  treated and untreated prolactin-secreting pituitary, outcome of pregnancy in patients with (Hammond et al.), 148
Twin gestation, placental injection studies in (Robertson and Neer), 170
  placentas, diamnionic-dichorionic, arachidonic acid content of amnion and chorion laeve in: source of prostaglandin precursor in human fetal membranes (Okita, Johnston, and MacDonald), 477
  pregnancy with acardiac, acephalic monster, intrauterine treatment of fetal cardiac failure in (Simpson et al), 842 (Comm. in brief)

U

Ultrasonic fetal weight prediction, accuracy of, in preterm infants (Eden et al.), 43
  measurement of rate and depth of human fetal breathing: effect of glucose (Adamson et al.), 288
Ultrasonically detected incidence and subsequent fetal outcome: oligohydramnios (Hill et al.), 407
Ultrasonographic diagnosis, antenatal, of correctable fetal malformations, importance of (Sarda et al.), 443
Ultrasonographically observed early placental maturation and perinatal outcome (Patterson, Hayashi, and Cavazos), 773
Ultrasound in diagnosis of fetal malformations (Horger and Pai), 163
  (with autocorrelation) and direct electrocardiogram fetal heart rate detector systems, comparison of (Lawson et al.), 721 (Comm. in brief)
Ultrastructural confirmation, malignant melanoma in ovary with (Gonzalez and Hammond), 722 (Comm. in brief)
Umbilical blood flow and fetal oxygen consumption, effect on: fetal polycythemia and hyperviscosity (Tenenbaum et al.), 48
  circulation and fetal heart rate, influence of β-adrenergic activity on, during hypoxia in fetal sheep (Parer), 592
  cord(s), clamped or intact, electrocardiographic responses of rat fetuses with, to acute maternal uterine ischemia (Robinson, Kavlock, and Watkinson), 795
    compression, heart rate and blood pressure responses to, in fetal lambs with special reference to mechanism of variable deceleration (Itskovitz, LaGamma, and Rudolph), 451
  venous and maternal plasma immunoreactive β-endorphin levels during labor with and without epidural analgesia (Jouppila et al.), 799
Urethral obstruction, early intrauterine, natural course of (Korenromp et al.), 465 (Comm. in brief)
Urinary estrogens, serum human placental lactogen, and pregnancy-specific β_1-glycoprotein, and their relationship to placental insufficiency: prospective study of three biochemical feto-placental tests (MacDonald et al.), 430
  incontinence due to unconscious abdominal contractions (Fantl, Hurt, and Dunn), 137
    stress, urodynamic changes after successful operation for (Bergman and McCarthy), 325
      effects of vaginal pessary in women with (Bhatia, Bergman, and Gunning), 876
  protein profile, nephelometric, as index of renal involvement in hypertensive disorders of pregnancy (Eden et al.), 645
    serial nephelometric, as index of renal involvement in severe pregnancy-induced hypertension: case report (Eden et al.), 106 (Comm. in brief)
  retention, transient perinatal: cautionary note for fetal surgeon (Farkas, Eidelman, and Gale), 461 (Comm. in brief)
Urodynamic changes after successful operation for stress urinary incontinence (Bergman and McCarthy), 325
  effects of vaginal pessary in women with stress urinary incontinence (Bhatia, Bergman, and Gunning), 876
Uterine artery, human, progesterone and estradiol receptors in cytosol of (Lantta, Kärkkäinen, and Lehtovirta), 627
  cervix, human, ripening of, related to changes in collagen, glycosaminoglycans, and collagenolytic activity (Uldbjerg et al.), 662
    radiation potentiator in carcinoma of: hydroxyurea (Piver et al.), 803
  ischemia, acute maternal, electrocardiographic responses of rat fetuses with clamped or intact umbilical cords to (Robinson, Kavlock, and Watkinson), 795
  leiomyoma, conservative approach to management of: pituitary desensitization by luteinizing hormone–releasing hormone analogue (Filicori et al.), 726 (Comm. in brief)
  manipulator, new, for use at laparoscopy (Scott), 458 (Comm. in brief)
  perforation, intrauterine incarcerated bowel following, during abortion: case report (Dunner et al.), 969 (Comm. in brief)
  tamponade for control of acute uterine bleeding (Goldrath), 869
Uterus, gravid, early spontaneous rupture of (Iddenden and Nuttall), 971 (Comm. in brief)
  influence of danazol on cytoplasmic and nuclear estrogen binding capacity in (Sanfilippo et al.), 364

V

Vacuum aspiration, soft cannula, early office termination of pregnancy by (Meyer), 202
Vaginal absorption of hexachlorophene during labor (Strickland et al.), 769
  hysterectomy, moxalactam versus cefazolin prophylaxis for (Hemsell et al.), 379
  (intra-) versus intracervical application of prostaglandin E_2 in viscous gel for cervical priming and induction of labor at term in patients with unfavorable cervical state (Ekman et al.), 657
  pessary, urodynamic effects of, in women with stress urinary incontinence (Bhatia, Bergman, and Gunning), 876
  prolapse after hysterectomy, repair of (Thornton and Peters), 140
Vaginitis, nonspecific, placebo-controlled, double-blind comparison of tinidazole and triple sulfonamide cream for treatment of (Piot et al.), 85
  recurrent, inhibition of *Candida albicans*–induced lymphocyte proliferation by lymphocytes and sera from women with (Witkin, Yu, and Ledger), 809
Variability, fetal heart rate, effects of amniotomy on, during labor (Kariniemi), 975 (Comm. in brief)
  perinatal heart rate, and circulatory adaptation in association with normal labor and after elective cesarean section (Pohjavuori, Forss, and Kariniemi), 943
  reduced short-term, of fetal heart rate in association with maternal hyperglycemia during pregnancy in insulin-dependent diabetic women (Kariniemi et al.), 793
Variable deceleration, heart rate and blood pressure responses to umbilical cord compression in fetal lambs with special reference to mechanism of (Itskovitz, LaGamma, and Rudolph), 451
Vascular responses to angiotensin II, effect of hypertonic saline on, in pregnancy (Matsuura et al.), 231
Vasoactive intestinal polypeptide as neurotransmitter in female genital tract (Ottesen), 208 (Current developments)
Venous plasma immunoreactive β-endorphin levels, maternal and umbilical, during labor with and without epidural analgesia (Jouppila et al.), 799
  thromboembolism, anticoagulation therapy for, in patients with gynecologic malignancy (Clarke-Pearson, Synan, and Creasman), 369
Ventriculitis, gonococcal, associated with ventriculoamniotic shunt placement (Bland et al.), 781
Virilizing congenital adrenal hyperplasia with normal dehydroepiandrosterone sulfate (Check and Krotec), 972 (Comm. in brief)
Vulva, early invasive carcinoma of, treated with Mohs technique of microscopically controlled surgery (Siegle, Headington, and Swanson), 459 (Comm. in brief)

W

Water, amniotic fluid, bulk flow of, in response to maternal osmotic challenge (Ross et al.), 697
  compartment alterations, sodium and, II. Ritodrine hydrochloride infusion in pregnant baboons (Hankins et al.), 254
Weight prediction, ultrasonic fetal, accuracy of, in preterm infants (Eden et al.), 43